



Marine & Offshore Products

OceanTUFF™ CPVC Drainage Pipe & Fittings

OceanTUFF™ CPVC Drainage Pipe & Fittings



PRODUCT

Contact Spears® for any Information not found.

OceanTUFF™ CPVC Drainage Pipe - ABS & USCG Approved & OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved



OceanTUFF™ CPVC Drainage Pipe - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

OceanTUFF™ CPVC Drainage Pipe 10 ft. 10 Ft Length

Priced per foot

CG-LW-015	1-1/2	10	0	177
CG-LW-020	2	10	0	177
CG-LW-030	3	10	0	177
CG-LW-040	4	10	0	177
CG-LW-060	6	10	0	177
CG-LW-080	8	10	0	177
CG-LW-100	10	10	0	177
CG-LW-120	12	10	0	177

OceanTUFF™ CPVC Drainage Pipe 20 ft. 20 FT Length

Priced per foot

CG-LW20-015	1-1/2	20	0	177
CG-LW20-020	2	20	0	177
CG-LW20-030	3	20	0	177
CG-LW20-040	4	20	0	177
CG-LW20-060	6	20	0	177
CG-LW20-080	8	20	0	177
CG-LW20-100	10	20	0	177
CG-LW20-120	12	20	0	177

OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved

P091 FKM Elastomer No-Hub Coupling - IPS Pipe/Metric Pipe - OceanTUFF™

IPS Clamp Joint x Metric Pipe Clamp Joint

For connection of IPS pipe to Metric pipe systems. Shielded FKM (Fluorocarbon) w/gear clamps.

CG-P091-015	1-1/2 X 53/55mm	20	0	174
CG-P091-020	2 X 53/55mm	16	0	174
CG-P091-02075	2 X 75/77mm	24	0	174
CG-P091-030	3 X 88/90mm	12	0	174
CG-P091-040	4 X 102/110mm	10	0	174
CG-P091-060	6 x 159/160mm	5	0	174



Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P092 GripLock™ Transition Coupling - OceanTUFF™

H x GripLoc™ Compression WARNING: DO NOT INSERT FINGERS FKM Gasket

Uses No Solvent Cement on GripLoc™ End.

CG-P092-015C	1-1/2	1	16	174
CG-P092-020C	2	1	12	174

Gripper is 410 Stainless Steel

P093 FKM Elastomer No-Hub Coupling - IPS Pipe - OceanTUFF™

IPS Clamp Joint x IPS Clamp Joint

For connection to same-size IPS pipe systems. Shielded FKM (Fluorocarbon) w/gear clamps.

CG-P093-015	1-1/2	20	0	174
CG-P093-020	2	16	0	174
CG-P093-030	3	6	0	174
CG-P093-040	4	10	0	174
CG-P093-060	6	5	0	174

Band Shield & Gear Clamps are 300 series Stainless Steel

P096 Grooved Coupling - OceanTUFF™

H x Groove

CG-P096-015C	1-1/2	10	60	174
CG-P096-020C	2	10	80	174
CG-P096-030C	3	10	0	174
CG-P096-040C	4	5	0	174
CG-P096-060C	6	5	0	174



P099 Compression Transition Coupling - OceanTUFF™

H x Compression


CG-P099-015C	1-1/2	16	0	174
CG-P099-020C	2	12	0	174
CG-P099-030C	3	4	0	174
CG-P099-040C	4	4	0	174
CG-P099-060C	6	1	0	174
CG-P099-080C	8	1	0	174

1 = Bolted Style Compression Coupling

P100 Coupling - OceanTUFF™

H x H

CG-P100-015C	1-1/2	100	0	174
CG-P100-020C	2	100	0	174
CG-P100-030C	3	60	0	174
CG-P100-040C	4	25	0	174
CG-P100-060C	6	5	0	174
CG-P100-080C	8	8	0	174



Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas
See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing



Marine & Offshore Products
OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved

OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P100 Coupling - OceanTUFF™ (continued)

H x H

CG-P100-100C	10	1	0	174
CG-P100-120C	12	1	0	174

P101 Female Adapter - OceanTUFF™

FIPT x H



CG-P101-015C	1-1/2	100	0	174
CG-P101-020C	2	100	0	174
CG-P101-030C	3	30	0	174
CG-P101-040C	4	6	0	174
CG-P101-060C	6	10	0	174
CG-P101-080C	8	3	0	174

P102 Increaser-Reducer - OceanTUFF™

H x H



CG-P102-251C	2X1-1/2	25	0	174
CG-P102-337C	3X1-1/2	25	0	174
CG-P102-338C	3X2	20	0	174
CG-P102-420C	4X2	10	0	174
CG-P102-422C	4X3	20	0	174
CG-P102-530C	6X3	6	0	174
CG-P102-532C	6X4	4	0	174
CG-P102-582C	8X4	2	0	174
CG-P102-585C	8X6	2	0	174
CG-P102-624C	10X4	2	0	174
CG-P102-626C	10X6	1	0	174
CG-P102-628C	10X8	1	0	174
CG-P102-666C	12X6	1	0	174
CG-P102-668C	12X8	1	0	174
CG-P102-670C	12X10	1	0	174

P103P Trap Adapter - Male - OceanTUFF™

Spig x Slip with Plastic Nut



CG-P103P-015C	1-1/2	50	0	174
CG-P103P-020C	2	25	0	174

P104R Trap Adapter - Female - OceanTUFF™

w/1-1/2 Plastic Nut & Washer and 1-1/2x1-1/4 Washer H x Slip w/Plastic Nut



CG-P104R-015C	1-1/2	50	0	174
---------------	-------	----	---	-----

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P104X Trap Adapter - Female - OceanTUFF™

H x Slip w/Chrome Nut & Washer



CG-P104X-015C	1-1/2	50	0	174
---------------	-------	----	---	-----

P105X Cleanout Adapter with Sq Head Plug - OceanTUFF™

Spig



CG-P105X-015C	1-1/2	50	0	174
CG-P105X-020C	2	50	0	174
CG-P105X-030C	3	25	0	174
CG-P105X-040C	4	10	0	174
CG-P105X-060C	6	10	0	174
CG-P105X-080C	8	8	0	174

P106 Square Head Cleanout Plug - OceanTUFF™

Mpt



CG-P106-015C	1-1/2	50	400	174
CG-P106-020C	2	50	0	174
CG-P106-030C	3	25	0	174
CG-P106-040C	4	30	0	174
CG-P106-060C	6	10	0	174
CG-P106-080C	8	12	0	174

P107 Flush Reducer Bushing - OceanTUFF™

Spig x Hub



CG-P107-251C	2X1-1/2	50	0	174
CG-P107-337C	3X1-1/2	30	0	174
CG-P107-338C	3X2	30	0	174
CG-P107-420C	4X2	30	0	174
CG-P107-422C	4X3	30	0	174
CG-P107-530C	6X3	10	0	174
CG-P107-532C	6X4	10	0	174
CG-P107-582C ¹	8X4	4	0	174
CG-P107-585C	8X6	4	0	174
CG-P107-623C ¹	10X3	4	0	174
CG-P107-624C ¹	10X4	4	0	174
CG-P107-628C	10X8	3	0	174
CG-P107-664C ¹	12X4	1	2	174
CG-P107-666C ¹	12X6	3	0	174
CG-P107-668C	12X8	2	0	174
CG-P107-670C	12X10	2	0	174

¹ = Sized with Bushing

Marine & Offshore Products
OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved



OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P108 Reducer Bushing - OceanTUFF™

Spig x Fpt



CG-P108-212C	1-1/2X1-1/4	50	200	174
--------------	-------------	----	-----	-----

P109 Male Adapter - OceanTUFF™

H x Mpt



CG-P109-015C	1-1/2	50	0	174
CG-P109-020C	2	50	0	174
CG-P109-030C	3	25	0	174
CG-P109-040C	4	25	0	174
CG-P109-060C	6	7	0	174

P110 Countersunk Cleanout Plug - OceanTUFF™

Mpt



CG-P110-015C	1-1/2	25	150	174
CG-P110-020C	2	25	150	174
CG-P110-030C	3	50	0	174
CG-P110-040C	4	25	0	174
CG-P110-060C	6	10	0	174

P116 Cap - OceanTUFF™

H



CG-P116-015C	1-1/2	20	240	174
CG-P116-020C	2	15	180	174
CG-P116-030C	3	10	0	174
CG-P116-040C	4	5	0	174
CG-P116-060C	6	5	0	174
CG-P116-080C	8	3	0	174
CG-P116-100CF*	10	1	3	174
CG-P116-120CF*	12	1	5	174

P130 Repair Coupling - No Stop - OceanTUFF™

H x H



CG-P130-015C	1-1/2	25	200	174
CG-P130-020C	2	25	0	174
CG-P130-030C	3	10	0	174
CG-P130-040C	4	5	0	174
CG-P130-060C	6	5	0	174
CG-P130-080C	8	6	0	174
CG-P130-100C	10	1	0	174

Made in the U.S.A.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P300 1/4 Bend - OceanTUFF™

H x H



CG-P300-015C	1-1/2	100	0	174
CG-P300-020C	2	50	0	174
CG-P300-030C	3	25	0	174
CG-P300-040C	4	10	0	174
CG-P300-060C	6	4	0	174
CG-P300-080C	8	2	0	174
CG-P300-100C	10	1	0	174
CG-P300-120C	12	1	0	174

P302 1/4 Bend, Street (90° Street Ell) - OceanTUFF™

H x Spig



CG-P302-015C	1-1/2	100	0	174
CG-P302-020C	2	25	0	174
CG-P302-030C	3	20	0	174
CG-P302-040C	4	10	0	174
CG-P302-060C	6	4	0	174
CG-P302-080C	8	2	0	174
CG-P302-100C	10	1	0	174
CG-P302-120C	12	1	0	174

P304 1/4 Bend, Long Sweep (90° LS Ell) - OceanTUFF™

H x H



CG-P304-015C	1-1/2	50	0	174
CG-P304-020C	2	25	0	174
CG-P304-030C	3	10	0	174
CG-P304-040C	4	5	0	174
CG-P304-060C	6	5	0	174

P309 1/4 Bend Long Sweep, Street (90° LS Street Ell) - OceanTUFF™

H x Spig



CG-P309-015C	1-1/2	50	0	174
CG-P309-020C	2	25	0	174
CG-P309-030C	3	20	0	174
CG-P309-040C	4	5	0	174
CG-P309-060C	6	5	0	174

P319 1/6 Bend (60° Ell) - OceanTUFF™

H x H



CG-P319-015C	1-1/2	40	0	174
CG-P319-020C	2	25	0	174
CG-P319-030C	3	20	0	174
CG-P319-040C	4	10	0	174

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas
 See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing

**OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P319 1/6 Bend (60° Ell) - OceanTUFF™ (continued)**H x H**

CG-P319-060CF*	6	1	4	174
CG-P319-120CF*	12	1	0	174

P320 1/6 Bend, Street (60° Street Ell) - OceanTUFF™**H x Spig**

CG-P320-015C	1-1/2	40	0	174
CG-P320-020C	2	25	0	174
CG-P320-030C	3	20	0	174
CG-P320-040C	4	10	0	174

P321 1/8 Bend (45° Ell) - OceanTUFF™**H x H**

CG-P321-015C	1-1/2	100	0	174
CG-P321-020C	2	50	0	174
CG-P321-030C	3	25	0	174
CG-P321-040C	4	15	0	174
CG-P321-060C	6	5	0	174
CG-P321-080C	8	1	0	174
CG-P321-100C	10	1	0	174
CG-P321-120C	12	1	0	174

P323 1/8 Bend, Street (45° Street Ell) - OceanTUFF™**H x Spig**

CG-P323-015C	1-1/2	100	0	174
CG-P323-020C	2	50	0	174
CG-P323-030C	3	25	0	174
CG-P323-040C	4	10	0	174
CG-P323-060C	6	5	0	174
CG-P323-080C	8	1	0	174
CG-P323-100C	10	1	0	174
CG-P323-120CF*	12	1	0	174

P324 1/16 Bend (22-1/2° Ell) - OceanTUFF™**H x H**

CG-P324-015C	1-1/2	50	0	174
CG-P324-020C	2	25	0	174
CG-P324-030C	3	20	0	174
CG-P324-040C	4	15	0	174
CG-P324-060C	6	3	0	174

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P324 1/16 Bend (22-1/2° Ell) - OceanTUFF™ (continued)**H x H**

CG-P324-080C	8	2	0	174
CG-P324-100CF*	10	1	0	174
CG-P324-120CF*	12	1	0	174

P326 1/16 Bend, Street (22-1/2° Street Ell) - OceanTUFF™**H x Spig**

CG-P326-015C	1-1/2	50	0	174
CG-P326-020C	2	25	0	174
CG-P326-030C	3	20	0	174
CG-P326-040C	4	10	0	174
CG-P326-060C	6	5	0	174
CG-P326-080C	8	2	0	174

P327 Double 1/4 Bend (3 Way Ell) - OceanTUFF™**All Hub**

CG-P327-015C	1-1/2	20	0	174
CG-P327-020C	2	25	0	174
CG-P327-030C	3	15	0	174
CG-P327-040C	4	6	0	174

P331 Vent Ell - OceanTUFF™**H x H**

CG-P331-015C	1-1/2	25	0	174
CG-P331-020C	2	30	0	174
CG-P331-030C	3	25	0	174
CG-P331-040C	4	10	0	174
CG-P331-060C	6	5	0	174

P333 Vent Ell, Street - OceanTUFF™**H x Spig**

CG-P333-015C	1-1/2	25	0	174
CG-P333-020C	2	20	0	174
CG-P333-030C	3	25	0	174
CG-P333-040C	4	10	0	174

P400 Sanitary Tee - OceanTUFF™**All Hub**

CG-P400-015C	1-1/2	100	0	174
CG-P400-020C	2	30	0	174
CG-P400-030C	3	30	0	174
CG-P400-040C	4	5	0	174
CG-P400-060C	6	6	0	174
CG-P400-080C	8	2	0	174

Marine & Offshore Products
OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved



OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P400 Sanitary Tee - OceanTUFF™ (continued)

All Hub

CG-P400-100C	10	1	0	174
CG-P400-120C	12	1	0	174

P401 Sanitary Tee, Reducing - OceanTUFF™

All Hub



CG-P401-241C	2X1-1/2X1-1/2	25	0	174
CG-P401-251C	2X1-1/2	50	0	174
CG-P401-257C	2X1-1/2X2	25	0	174
CG-P401-337C	3X1-1/2	10	0	174
CG-P401-338C	3X2	10	0	174
CG-P401-419C	4X1-1/2	1	10	174
CG-P401-420C	4X2	10	0	174
CG-P401-422C	4X3	10	0	174
CG-P401-530CF*	6X3	1	2	174
CG-P401-532C	6X4	4	0	174
CG-P401-578CF*	8X2	1	2	174
CG-P401-582C	8X4	2	0	174
CG-P401-585CF*	8X6	1	0	174
CG-P401-624CF*	10X4	1	0	174
CG-P401-626CF*	10X6	1	0	174
CG-P401-628CF*	10X8	1	0	174
CG-P401-666CF*	12X6	1	0	174
CG-P401-668CF*	12X8	1	0	174

P403 Sanitary Tee, Street - OceanTUFF™

Spigot x H x H



CG-P403-015C	1-1/2	20	0	174
CG-P403-020C	2	25	0	174
CG-P403-030C	3	30	0	174
CG-P403-040C	4	10	0	174
CG-P403-060C	6	6	0	174
CG-P403-080C	8	2	0	174
CG-P403-100C	10	1	0	174
CG-P403-120C	12	1	0	174

P404 Sanitary Tee, Street, Reducing - OceanTUFF™

Spigot x H x H



CG-P404-241C	2X1-1/2X1-1/2	50	0	174
CG-P404-251C	2X1-1/2	50	0	174
CG-P404-337C	3X1-1/2	10	0	174
CG-P404-338C	3X2	10	0	174

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P428 Double Sanitary Tee - OceanTUFF™

All Hub



CG-P428-015C	1-1/2	25	0	174
CG-P428-020C	2	25	0	174
CG-P428-030C	3	8	0	174
CG-P428-040C	4	6	0	174

P429 Double Sanitary Tee, Reducing - OceanTUFF™

All Hub



CG-P429-241C	2X1-1/2X1-1/2X1-1/2	25	0	174
CG-P429-251C	2X2X1-1/2X1-1/2	25	0	174
CG-P429-337C	3X3X1-1/2X1-1/2	6	0	174
CG-P429-338C	3X3X2X2	10	0	174
CG-P429-419C	4X4X1-1/2X1-1/2	7	0	174
CG-P429-420C	4X4X2X2	7	0	174
CG-P429-422C	4X4X3X3	8	0	174
CG-P429-532CF*	6X6X4X4	1	2	174

P441 Vent Tee - OceanTUFF™

All Hub



CG-P441-015C	1-1/2	25	0	174
CG-P441-020C	2	25	0	174
CG-P441-030C	3	10	0	174
CG-P441-040C	4	5	0	174
CG-P441-060C	6	4	0	174
CG-P441-080C	8	2	0	174

P444X Cleanout Tee w/Plug - OceanTUFF™

H x H x Fpt



CG-P444X-015C	1-1/2	20	0	174
CG-P444X-020C	2	10	0	174
CG-P444X-030C	3	10	0	174
CG-P444X-040C	4	10	0	174
CG-P444X-060C	6	2	0	174
CG-P444X-080C	8	2	0	174

P445X Cleanout Tee with Counter Sunk Plug - OceanTUFF™

H x H x Fpt



CG-P445X-015C	1-1/2	20	0	174
CG-P445X-020C	2	10	0	174
CG-P445X-030C	3	10	0	174
CG-P445X-040C	4	10	0	174
CG-P445X-060C	6	2	0	174
CG-P445X-080CF*	8	1	2	174

Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas
 See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing

**OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P445X Cleanout Tee with Counter Sunk Plug - OceanTUFF™

(continued)

H x H x Fpt

CG-P445X-100CF*	10	1	0	174
CG-P445X-120CF*	12	1	0	174

P448 2-WAY Cleanout - OceanTUFF™**All Hub**

CG-P448-030C	3	12	0	174
CG-P448-040C	4	5	0	174

P500 Double Fixture Fitting - OceanTUFF™**All Hub**

CG-P500-020C	2	10	0	174
CG-P500-030C	3	10	0	174
CG-P500-241C	2X1-1/2X1-1/2X1-1/2	20	0	174
CG-P500-251C	2X2X1-1/2X1-1/2	20	0	174
CG-P500-338C	3X2X3X3	10	0	174

P501 Combo Wye + 1/8 Bend (Long Turn Tee Wye) - OceanTUFF™**All Hub**

CG-P501-015C	1-1/2	50	0	174
CG-P501-020C	2	20	0	174
CG-P501-030C	3	10	0	174
CG-P501-040C	4	8	0	174

P502 Combination Wye + 1/8 Bend Reducing (Long Turn Tee Wye) - OceanTUFF™**All Hub**

CG-P502-251C	2X2X1-1/2	20	0	174
CG-P502-337C	3X3X1-1/2	15	0	174
CG-P502-338C	3X3X2	10	0	174
CG-P502-420C	4X4X2	5	0	174
CG-P502-422C	4X4X3	5	0	174
CG-P502-578C	8X8X2	2	0	174

P503 Combination Wye and 1/8 Bend (Two Piece) - OceanTUFF™**All Hub**

CG-P503-040C	4	5	0	174
CG-P503-060C	6	4	0	174
CG-P503-080C	8	1	0	174
CG-P503-100C	10	1	0	174

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P503 Combination Wye and 1/8 Bend (Two Piece) - OceanTUFF™

(continued)

All Hub

CG-P503-120C	12	1	0	174
--------------	----	---	---	-----

P504 Combination Wye and 1/8 Bend, Reducing (Two Piece) - OceanTUFF™**All Hub**

CG-P504-241C	2X1-1/2X1-1/2	5	0	174
CG-P504-422C	4X4X3	5	0	174
CG-P504-528C	6X2	5	0	174
CG-P504-530C	6X3	5	0	174
CG-P504-532C	6X4	5	0	174
CG-P504-580C	8X3	2	0	174
CG-P504-582C	8X4	2	0	174
CG-P504-585C	8X6	1	0	174
CG-P504-623C	10X3	1	0	174
CG-P504-624C	10X4	1	0	174
CG-P504-626C	10X6	1	0	174
CG-P504-628C	10X8	1	0	174
CG-P504-663C	12X3	1	0	174
CG-P504-664C	12X4	1	0	174
CG-P504-666C	12X6	1	0	174
CG-P504-668C	12X8	1	0	174
CG-P504-670C	12X10	1	0	174

P507 Double Combination Wye and 1/8 Bend - OceanTUFF™**All Hub**

CG-P507-020C	2	10	0	174
CG-P507-030C	3	10	0	174
CG-P507-040C	4	5	0	174
CG-P507-060C	6	2	0	174
CG-P507-080CF*	8	1	0	174
CG-P507-251C	2X2X1-1/2X1-1/2	20	0	174
CG-P507-338C	3X3X2X2	10	0	174
CG-P507-420C	4X4X2X2	5	0	174
CG-P507-422C	4X4X3X3	5	0	174
CG-P507-530C	6X6X3X3	2	0	174
CG-P507-532C	6X6X4X4	4	0	174
CG-P507-578CF*	8X8X2X2	1	2	174
CG-P507-582CF*	8X8X4X4	1	0	174
CG-P507-585CF*	8X8X6X6	1	0	174
CG-P507-624CF*	10X10X4X4	1	0	174
CG-P507-626CF*	10X10X6X6	1	0	174
CG-P507-628CF*	10X10X8X8	1	0	174
CG-P507-668CF*	12X12X8X8	1	0	174
CG-P507-670CF*	12X12X10X10	1	0	174

Marine & Offshore Products
OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved



OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P600 45° Wye - OceanTUFF™



All Hub

CG-P600-015C	1-1/2	45	0	174
CG-P600-020C	2	25	0	174
CG-P600-030C	3	8	0	174
CG-P600-040C	4	8	0	174
CG-P600-060C	6	4	0	174
CG-P600-080C	8	1	0	174
CG-P600-100C	10	1	0	174
CG-P600-120C	12	1	0	174

P601 45° Wye, Reducing - OceanTUFF™



All Hub

CG-P601-241C	2X1-1/2X1-1/2	25	0	174
CG-P601-251C	2X2X1-1/2	25	0	174
CG-P601-257C	2X1-1/2X2	10	0	174
CG-P601-337C	3X3X1-1/2	15	0	174
CG-P601-338C	3X3X2	12	0	174
CG-P601-419C	4X4X1-1/2	10	0	174
CG-P601-420C	4X4X2	10	0	174
CG-P601-422C	4X4X3	10	0	174
CG-P601-528C	6X6X2	5	0	174
CG-P601-530C	6X6X3	6	0	174
CG-P601-532C	6X6X4	5	0	174
CG-P601-578C	8X8X2	2	0	174
CG-P601-580C	8X8X3	2	0	174
CG-P601-582C	8X8X4	2	0	174
CG-P601-585C	8X8X6	1	0	174
CG-P601-621C	10X10X2	1	0	174
CG-P601-623C	10X10X3	1	0	174
CG-P601-624C	10X10X4	1	0	174
CG-P601-626C	10X10X6	1	0	174
CG-P601-628C	10X10X8	1	0	174
CG-P601-661C	12X12X2	1	0	174
CG-P601-663C	12X12X3	1	0	174
CG-P601-664C	12X12X4	1	0	174
CG-P601-666C	12X12X6	1	0	174
CG-P601-668C	12X12X8	1	0	174
CG-P601-670C	12X12X10	1	0	174

P611 Double Wye - OceanTUFF™



All Hub

CG-P611-015C	1-1/2	40	0	174
CG-P611-020C	2	20	0	174

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P611 Double Wye - OceanTUFF™ (continued)

All Hub

CG-P611-030C	3	15	0	174
CG-P611-040C	4	5	0	174
CG-P611-060C	6	2	0	174
CG-P611-080CF*	8	1	0	174
CG-P611-100CF*	10	1	0	174
CG-P611-120CF*	12	1	0	174

P612 Double Wye, Reducing - OceanTUFF™



All Hub

CG-P612-241C	2X1-1/2X1-1/2X1-1/2	10	0	174
CG-P612-251C	2X2X1-1/2X1-1/2	10	0	174
CG-P612-337C	3X3X1-1/2X1-1/2	10	0	174
CG-P612-338C	3X3X2X2	15	0	174
CG-P612-420C	4X4X2X2	5	0	174
CG-P612-422C	4X4X3X3	5	0	174
CG-P612-530C	6X6X3X3	5	0	174
CG-P612-532C	6X6X4X4	5	0	174
CG-P612-580CF*	8X8X3X3	1	0	174
CG-P612-582CF*	8X8X4X4	1	0	174
CG-P612-585CF*	8X8X6X6	1	0	174
CG-P612-624CF*	10X10X4X4	1	0	174
CG-P612-628CF*	10X10X8X8	1	0	174
CG-P612-664CF*	12X12X4X4	1	0	174

P700 Return Bend - OceanTUFF™



H x H

CG-P700-015C	1-1/2	20	0	174
CG-P700-020C	2	35	0	174
CG-P700-030C	3	8	0	174
CG-P700-040C	4	6	0	174
CG-P700-060C	6	2	0	174
CG-P700-080C	8	1	0	174
CG-P700-100C	10	1	0	174
CG-P700-120C	12	2	0	174

P704P Tail Piece Adapter - OceanTUFF™



Spig x Slip w/Plastic Nut

CG-P704P-015C	1-1/2	25	0	174
---------------	-------	----	---	-----

P705R Running Trap - OceanTUFF™



H x H

CG-P705R-015C	1-1/2	25	0	174
CG-P705R-020C	2	25	0	174
CG-P705R-030C	3	10	0	174
CG-P705R-040C	4	5	0	174

Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas
See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing

**OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

P706X P-Trap - OceanTUFF™**H x H**

CG-P706X-015C	1-1/2	25	0	174
CG-P706X-020C	2	25	0	174
CG-P706X-030C	3	10	0	174
CG-P706X-040C	4	4	0	174
CG-P706X-060C	6	1	0	174
CG-P706X-080C	8	1	0	174
CG-P706X-100C	10	1	0	174
CG-P706X-120C	12	1	0	174

P707X P-Trap w/Cleanout - OceanTUFF™**H x H**

CG-P707X-015C	1-1/2	10	0	174
---------------	-------	----	---	-----

P708P P-Trap w/Plastic Nut (Union Connection) - OceanTUFF™**H x H**

CG-P708P-015C	1-1/2	25	0	174
CG-P708P-020C	2	25	0	174

P712P Jar Trap w/Tail Piece Adapter - OceanTUFF™**Slip x H**

32 oz. PP Jar

CG-P712P-015C	1-1/2	1	0	174
---------------	-------	---	---	-----

P720 Drum Trap - OceanTUFF™**H x H**

CG-P720-015C	1-1/2	4	0	174
CG-P720-020C	2	4	0	174
CG-P720-030C	3	4	0	174
CG-P720-040C	4	4	0	174

P815 Flush Closet Flange - OceanTUFF™**Fits Over 3" Pipe or Inside 4" Pipe**

CG-P815-040C	4X4/4X3	25	0	174
--------------	---------	----	---	-----

Waste Assembly - OceanTUFF™**Sink Outlet**

CG-OTWA-1	1-1/2	10	0	174
-----------	-------	----	---	-----

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

OTTP CPVC Tail Piece - OceanTUFF™**May be cut to desired length**

CG-OTTP-015060	1-1/2X6	10	0	174
CG-OTTP-015120	1-1/2X12	20	0	174
CG-OTTP-015140	1-1/2X14	50	0	174

OTTPN CPVC Tail Piece with Nut & Casket - OceanTUFF™**May be cut to desired length**

CG-OTTPN-015060	1-1/2X6	1	25	174
CG-OTTPN-015140	1-1/2X14	1	25	174
CG-OTTPN-015120	1-1/2X12	1	25	174

Air Admittance Vent - OceanTUFF™**Spigot**

Maximum 6 DFU (Drainage Fixture Units)

CG-AAV-015C	1-1/2	12	0	179
-------------	-------	----	---	-----

Pipe Extenders - OceanTUFF™**Pipe O.D. Spigot x Pipe I.D. Spigot**

CG-S0301-15C	1-1/2	50	0	174
CG-S0301-20C	2	25	0	174
CG-S0301-30C	3	25	0	174
CG-S0301-40C	4	20	0	174

Flange - Vanstone Style - OceanTUFF™**Hub**

150 psi = maximum internal pressure rating @ 73°F (23°C)

CG-854-015C	1-1/2	20	0	172
CG-854-020C	2	10	0	172
CG-854-030C	3	10	0	172
CG-854-040C	4	5	0	172
CG-854-060C	6	5	0	172
CG-854-080C	8	2	0	172
CG-854-100C	10	2	0	181
CG-854-120C	12	2	0	181

Flange - One Piece - OceanTUFF™**Hub**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-851-015C	1-1/2	20	0	172
CG-851-020C	2	10	0	172
CG-851-030C	3	10	0	172

**OceanTUFF™ CPVC Drainage Fittings - ABS & USCG Approved**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------


Flange - One Piece - OceanTUFF™ (continued)**Hub**

CG-851-040C	4	5	0	172
CG-851-060C	6	5	0	172
CG-851-080C	8	2	0	172
CG-851-100C	10	2	0	181
CG-851-120C	12	2	0	181

Flange - Vanstone Style - OceanTUFF™**Spigot**


150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-856-015C	1-1/2	15	0	172
CG-856-020C	2	10	0	172
CG-856-030C	3	10	0	172
CG-856-040C	4	5	0	172
CG-856-060C	6	4	0	172
CG-856-080C	8	2	0	172
CG-856-100C	10	2	0	181
CG-856-120C	12	2	0	181


Flange - Blind - OceanTUFF™

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-853-015C	1-1/2	15	0	172
CG-853-020C	2	10	0	172
CG-853-030C	3	10	0	172
CG-853-040C	4	8	0	172
CG-853-060C	6	5	0	172
CG-853-080C	8	5	0	172
CG-853-100C	10	3	0	181
CG-853-120C	12	2	0	181

Floor Drain with CPVC Adjustable Top w/5" Round Grate - OceanTUFF™

CG-OT1500-015C	1-1/2X5	4	0	174
CG-OT1500-020C	2X5	4	0	174
CG-OT1500-030C	3X5	4	0	174
CG-OT1500-040C	4X5	4	0	174

Floor Drain with CPVC Adjustable Top w/5" Round Grate & Membrane Collar - OceanTUFF™

CG-OT150M-015C	1-1/2X5	4	0	174
CG-OT150M-020C	2X5	4	0	174

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

Floor Drain with CPVC Adjustable Top w/5" Round Grate & Membrane Collar - OceanTUFF™ (continued)

CG-OT150M-030C	3X5	4	0	174
CG-OT150M-040C	4X5	4	0	174

Floor Drain with Stainless Steel Adjustable Top w/Round Grate - OceanTUFF™

CG-OT1500-015S	1-1/2X5	4	0	174
CG-OT1500-020S	2X5	4	0	174
CG-OT1500-030S	3X5	4	0	174
CG-OT1500-040S	4X5	4	0	174

Floor Drain with Stainless Steel Adjustable Top w/Round Grate & Membrane Collar - OceanTUFF™

CG-OT150M-015S	1-1/2X5	4	0	174
CG-OT150M-020S	2X5	1	5	174
CG-OT150M-030S	3X5	4	0	174
CG-OT150M-040S	4X5	4	0	174

OceanTUFF™ Solvent Cement - ABS & USCG Approved**OT-5 CPVC Solvent Cement - Mustard,****One-step Cement (requires no primer)**

CG-OT5-030	Quart	12	0	178
CG-OT5-040	Gallon	6	0	178