



Nipples Product
PVC, CPVC & PE Nipples

PVC, CPVC & PE Nipples



PRODUCT

Contact Spears® for any Information not found.

Nipples Product

PVC, CPVC & PE Nipples



• PVC/CPVC Nipples furnished may be produced from extruded stock, or from molding grade PVC/CPVC compounds. Both processes provide quality products meeting ASTM requirements.

• For half Size Nipples, go to the same as the next full size for MSRP.
For example: 7-1/2" is the same as 8".

• CONTACT YOUR LOCAL SPEARS® REPRESENTATIVE FOR MSRP AND AVAILABILITY OF SIZES, LENGTHS, AND/OR CONFIGURATIONS NOT SHOWN.

PVC Nipples

PVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/8" Diameter						
1/8XCLOSE	879-005	1879-005	879-005P	25	800	120
1/8X1-1/2	879-015	1879-015	879-015P	25	800	120
1/8X2	879-020	1879-020	879-020P	25	800	120
1/8X2-1/2	879-025	1879-025	879-025P	25	800	120
1/8X3	879-030	1879-030	879-030P	25	800	120
1/8X3-1/2	879-035	1879-035	879-035P	25	800	120
1/8X4	879-040	1879-040	879-040P	25	800	120
1/8X4-1/2	879-045	1879-045	879-045P	25	600	120
1/8X5	879-050	1879-050	879-050P	25	600	120
1/8X5-1/2	879-055	1879-055	879-055P	25	600	120
1/8X6	879-060	1879-060	879-060P	25	600	120
1/8X7	879-070	1879-070	879-070P	25	450	120
1/8X8	879-080	1879-080	879-080P	25	600	120
1/8X9	879-090	1879-090	879-090P	25	400	120
1/8X10	879-100	1879-100	879-100P	25	400	120
1/8X11	879-110	1879-110	879-110P	25	400	120
1/8X12	879-120	1879-120	879-120P	25	400	120
1/8X13	879-130	1879-130	879-130P	25	400	120
1/8X14	879-140	1879-140	879-140P	25	250	120
1/8X15	879-150	1879-150	879-150P	25	300	120
1/8X16	879-160	1879-160	879-160P	25	250	120
1/8X17	879-170	1879-170	879-170P	25	250	120
1/8X18	879-180	1879-180	879-180P	25	0	120
1/8X19	879-190	1879-190	879-190P	5	0	120
1/8X20	879-200	1879-200	879-200P	25	0	120
1/8X22	879-220	1879-220	879-220P	25	0	120
1/8X24	879-240	1879-240	879-240P	25	0	120
1/8X30	879-300	1879-300	879-300P	25	0	120
1/8X36	879-360	1879-360	879-360P	25	0	120
1/8X42	879-420	1879-420	879-420P	25	0	120
1/8X48	879-480	1879-480	879-480P	25	0	120

1/4" Diameter

1/4XCLOSE	880-005	1880-005	880-005P	25	1200	120
1/4X1-1/2	880-015	1880-015	880-015P	25	1200	120
1/4X2	880-020	1880-020	880-020P	25	500	120
1/4X2-1/2	880-025	1880-025	880-025P	25	500	120
1/4X3	880-030	1880-030	880-030P	25	550	120
1/4X3-1/2	880-035	1880-035	880-035P	25	500	120
1/4X4	880-040	1880-040	880-040P	25	300	120
1/4X4-1/2	880-045	1880-045	880-045P	25	250	120
1/4X5	880-050	1880-050	880-050P	25	250	120
1/4X5-1/2	880-055	1880-055	880-055P	25	250	120
1/4X6	880-060	1880-060	880-060P	25	250	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/4" Diameter						
1/4X7	880-070	1880-070	880-070P	25	250	120
1/4X8	880-080	1880-080	880-080P	25	250	120
1/4X9	880-090	1880-090	880-090P	25	250	120
1/4X10	880-100	1880-100	880-100P	25	250	120
1/4X11	880-110	1880-110	880-110P	25	250	120
1/4X12	880-120	1880-120	880-120P	25	250	120
1/4X13	880-130	1880-130	880-130P	25	250	120
1/4X14	880-140	1880-140	880-140P	25	250	120
1/4X15	880-150	1880-150	880-150P	25	500	120
1/4X16	880-160	1880-160	880-160P	25	250	120
1/4X17	880-170	1880-170	880-170P	25	300	120
1/4X18	880-180	1880-180	880-180P	25	300	120
1/4X19	880-190	1880-190	880-190P	25	300	120
1/4X20	880-200	1880-200	880-200P	25	200	120
1/4X22	880-220	1880-220	880-220P	25	300	120
1/4X24	880-240	1880-240	880-240P	25	200	120
1/4X30	880-300	1880-300	880-300P	25	0	120
1/4X36	880-360	1880-360	880-360P	25	0	120
1/4X42	880-420	1880-420	880-420P	25	0	120
1/4X48	880-480	1880-480	880-480P	25	0	120

3/8" Diameter

3/8XCLOSE	881-005	1881-005	881-005P	25	800	120
3/8X1-1/2	881-015	1881-015	881-015P	25	800	120
3/8X2	881-020	1881-020	881-020P	25	600	120
3/8X2-1/2	881-025	1881-025	881-025P	25	600	120
3/8X3	881-030	1881-030	881-030P	25	400	120
3/8X3-1/2	881-035	1881-035	881-035P	25	400	120
3/8X4	881-040	1881-040	881-040P	25	300	120
3/8X4-1/2	881-045	1881-045	881-045P	25	250	120
3/8X5	881-050	1881-050	881-050P	25	250	120
3/8X5-1/2	881-055	1881-055	881-055P	25	250	120
3/8X6	881-060	1881-060	881-060P	25	250	120
3/8X7	881-070	1881-070	881-070P	25	200	120
3/8X8	881-080	1881-080	881-080P	25	200	120
3/8X9	881-090	1881-090	881-090P	25	200	120
3/8X10	881-100	1881-100	881-100P	25	200	120
3/8X11	881-110	1881-110	881-110P	25	200	120
3/8X12	881-120	1881-120	881-120P	25	200	120
3/8X13	881-130	1881-130	881-130P	25	0	120
3/8X14	881-140	1881-140	881-140P	25	200	120
3/8X15	881-150	1881-150	881-150P	25	200	120
3/8X16	881-160	1881-160	881-160P	25	200	120
3/8X17	881-170	1881-170	881-170P	25	0	120
3/8X18	881-180	1881-180	881-180P	25	200	120
3/8X19	881-190	1881-190	881-190P	25	0	120

Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas
See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing

Page 2



Nipples Product

PVC, CPVC & PE Nipples

PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/8" Diameter						
3/8X20	881-200	1881-200	881-200P	25	250	120
3/8X22	881-220	1881-220	881-220P	25	200	120
3/8X24	881-240	1881-240	881-240P	25	200	120
3/8X30	881-300	1881-300	881-300P	25	0	120
3/8X36	881-360	1881-360	881-360P	25	0	120
3/8X42	881-420	1881-420	881-420P	25	0	120
3/8X48	881-480	1881-480	881-480P	25	0	120

1/2" Diameter

1/2XCLOSE	882-005	1882-005	882-005P	25	675	120
1/2X1-1/2	882-015	1882-015	882-015P	25	600	120
1/2X2	882-020	1882-020	882-020P	50	300	120
1/2X2-1/2	882-025	1882-025	882-025P	50	600	120
1/2X3	882-030	1882-030	882-030P	50	600	120
1/2X3-1/2	882-035	1882-035	882-035P	25	300	120
1/2X4	882-040	1882-040	882-040P	25	300	120
1/2X4-1/2	882-045	1882-045	882-045P	25	300	120
1/2X5	882-050	1882-050	882-050P	25	300	120
1/2X5-1/2	882-055	1882-055	882-055P	25	300	120
1/2X6	882-060	1882-060	882-060P	25	300	120
1/2X7	882-070	1882-070	882-070P	25	200	120
1/2X8	882-080	1882-080	882-080P	25	0	120
1/2X9	882-090	1882-090	882-090P	25	0	120
1/2X10	882-100	1882-100	882-100P	25	0	120
1/2X11	882-110	1882-110	882-110P	25	0	120
1/2X12	882-120	1882-120	882-120P	25	0	120
1/2X13	882-130	1882-130	882-130P	25	0	120
1/2X14	882-140	1882-140	882-140P	100	0	120
1/2X15	882-150	1882-150	882-150P	100	0	120
1/2X16	882-160	1882-160	882-160P	100	0	120
1/2X17	882-170	1882-170	882-170P	100	0	120
1/2X18	882-180	1882-180	882-180P	25	100	120
1/2X19	882-190	1882-190	882-190P	100	0	120
1/2X20	882-200	1882-200	882-200P	100	0	120
1/2X22	882-220	1882-220	882-220P	100	0	120
1/2X24	882-240	1882-240	882-240P	25	100	120
1/2X30	882-300	1882-300	882-300P	25	0	120
1/2X36	882-360	1882-360	882-360P	25	0	120
1/2X42	882-420	1882-420	882-420P	25	0	120
1/2X48	882-480	1882-480	882-480P	25	0	120

3/4" Diameter

3/4XCLOSE	883-005	1883-005	883-005P	25	450	120
3/4X1-1/2	883-015	1883-015	883-015P	25	500	120
3/4X2	883-020	1883-020	883-020P	25	150	120
3/4X2-1/2	883-025	1883-025	883-025P	25	150	120
3/4X3	883-030	1883-030	883-030P	25	300	120
3/4X3-1/2	883-035	1883-035	883-035P	25	300	120
3/4X4	883-040	1883-040	883-040P	25	300	120
3/4X4-1/2	883-045	1883-045	883-045P	25	200	120
3/4X5	883-050	1883-050	883-050P	25	200	120
3/4X5-1/2	883-055	1883-055	883-055P	25	200	120
3/4X6	883-060	1883-060	883-060P	25	200	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/4" Diameter						
3/4X7	883-070	1883-070	883-070P	25	200	120
3/4X8	883-080	1883-080	883-080P	25	0	120
3/4X9	883-090	1883-090	883-090P	25	0	120
3/4X10	883-100	1883-100	883-100P	25	0	120
3/4X11	883-110	1883-110	883-110P	25	0	120
3/4X12	883-120	1883-120	883-120P	25	0	120
3/4X13	883-130	1883-130	883-130P	25	0	120
3/4X14	883-140	1883-140	883-140P	100	0	120
3/4X15	883-150	1883-150	883-150P	100	0	120
3/4X16	883-160	1883-160	883-160P	100	0	120
3/4X17	883-170	1883-170	883-170P	100	0	120
3/4X18	883-180	1883-180	883-180P	25	100	120
3/4X19	883-190	1883-190	883-190P	100	0	120
3/4X20	883-200	1883-200	883-200P	100	0	120
3/4X22	883-220	1883-220	883-220P	100	0	120
3/4X24	883-240	1883-240	883-240P	25	100	120
3/4X30	883-300	1883-300	883-300P	25	0	120
3/4X36	883-360	1883-360	883-360P	25	0	120
3/4X42	883-420	1883-420	883-420P	25	0	120
3/4X48	883-480	1883-480	883-480P	25	0	120

1" Diameter

1XCLOSE	884-005	1884-005	884-005P	50	600	120
1X1-1/2	884-015	1884-015	884-015P	25	300	120
1X2	884-020	1884-020	884-020P	25	300	120
1X2-1/2	884-025	1884-025	884-025P	25	300	120
1X3	884-030	1884-030	884-030P	25	200	120
1X3-1/2	884-035	1884-035	884-035P	25	200	120
1X4	884-040	1884-040	884-040P	25	200	120
1X4-1/2	884-045	1884-045	884-045P	25	200	120
1X5	884-050	1884-050	884-050P	25	0	120
1X5-1/2	884-055	1884-055	884-055P	25	0	120
1X6	884-060	1884-060	884-060P	25	0	120
1X7	884-070	1884-070	884-070P	25	0	120
1X8	884-080	1884-080	884-080	25	0	120
1X9	884-090	1884-090	884-090P	25	0	120
1X10	884-100	1884-100	884-100P	25	0	120
1X11	884-110	1884-110	884-110P	25	0	120
1X12	884-120	1884-120	884-120P	25	0	120
1X13	884-130	1884-130	884-130P	25	0	120
1X14	884-140	1884-140	884-140P	50	0	120
1X15	884-150	1884-150	884-150P	50	0	120
1X16	884-160	1884-160	884-160P	50	0	120
1X17	884-170	1884-170	884-170P	50	0	120
1X18	884-180	1884-180	884-180P	50	0	120
1X19	884-190	1884-190	884-190P	50	0	120
1X20	884-200	1884-200	884-200P	50	0	120
1X22	884-220	1884-220	884-220P	50	0	120
1X24	884-240	1884-240	884-240P	50	0	120
1X30	884-300	1884-300	884-300P	15	0	120
1X36	884-360	1884-360	884-360P	15	0	120
1X42	884-420	1884-420	884-420P	15	0	120
1X48	884-480	1884-480	884-480P	15	0	120

1-1/4" Diameter

1-1/4XCLOSE	885-005	1885-005	885-005P	25	200	120
-------------	---------	----------	----------	----	-----	-----

Nipples Product

PVC, CPVC & PE Nipples



PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/4" Diameter						
1-1/4X2	885-020	1885-020	885-020P	25	200	120
1-1/4X2-1/2	885-025	1885-025	885-025P	25	200	120
1-1/4X3	885-030	1885-030	885-030P	25	0	120
1-1/4X3-1/2	885-035	1885-035	885-035P	25	0	120
1-1/4X4	885-040	1885-040	885-040P	25	0	120
1-1/4X4-1/2	885-045	1885-045	885-045P	25	0	120
1-1/4X5	885-050	1885-050	885-050P	25	0	120
1-1/4X5-1/2	885-055	1885-055	885-055P	25	0	120
1-1/4X6	885-060	1885-060	885-060P	25	0	120
1-1/4X7	885-070	1885-070	885-070P	25	0	120
1-1/4X8	885-080	1885-080	885-080P	25	0	120
1-1/4X9	885-090	1885-090	885-090P	25	0	120
1-1/4X10	885-100	1885-100	885-100P	25	0	120
1-1/4X11	885-110	1885-110	885-110P	25	0	120
1-1/4X12	885-120	1885-120	885-120P	25	0	120
1-1/4X13	885-130	1885-130	885-130P	25	0	120
1-1/4X14	885-140	1885-140	885-140P	25	0	120
1-1/4X15	885-150	1885-150	885-150P	25	0	120
1-1/4X16	885-160	1885-160	885-160P	25	0	120
1-1/4X17	885-170	1885-170	885-170P	25	0	120
1-1/4X18	885-180	1885-180	885-180P	25	0	120
1-1/4X19	885-190	1885-190	885-190P	25	0	120
1-1/4X20	885-200	1885-200	885-200P	25	0	120
1-1/4X22	885-220	1885-220	885-220P	25	0	120
1-1/4X24	885-240	1885-240	885-240P	25	0	120
1-1/4X30	885-300	1885-300	885-300P	10	0	120
1-1/4X36	885-360	1885-360	885-360P	10	0	120
1-1/4X42	885-420	1885-420	885-420P	10	0	120
1-1/4X48	885-480	1885-480	885-480P	10	0	120

1-1/2" Diameter

1-1/2XCLOSE	886-005	1886-005	886-005P	25	0	120
1-1/2X2	886-020	1886-020	886-020P	25	0	120
1-1/2X2-1/2	886-025	1886-025	886-025P	25	0	120
1-1/2X3	886-030	1886-030	886-030P	25	0	120
1-1/2X3-1/2	886-035	1886-035	886-035P	25	0	120
1-1/2X4	886-040	1886-040	886-040P	25	0	120
1-1/2X4-1/2	886-045	1886-045	886-045P	25	0	120
1-1/2X5	886-050	1886-050	886-050P	25	0	120
1-1/2X5-1/2	886-055	1886-055	886-055P	25	0	120
1-1/2X6	886-060	1886-060	886-060P	25	0	120
1-1/2X7	886-070	1886-070	886-070P	25	0	120
1-1/2X8	886-080	1886-080	886-080P	25	0	120
1-1/2X9	886-090	1886-090	886-090P	25	0	120
1-1/2X10	886-100	1886-100	886-100P	25	0	120
1-1/2X11	886-110	1886-110	886-110P	25	0	120
1-1/2X12	886-120	1886-120	886-120P	25	0	120
1-1/2X13	886-130	1886-130	886-130P	25	0	120
1-1/2X14	886-140	1886-140	886-140P	25	0	120
1-1/2X15	886-150	1886-150	886-150P	25	0	120
1-1/2X16	886-160	1886-160	886-160P	25	0	120
1-1/2X17	886-170	1886-170	886-170P	25	0	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/2" Diameter						
1-1/2X18	886-180	1886-180	886-180P	25	0	120
1-1/2X19	886-190	1886-190	886-190P	25	0	120
1-1/2X20	886-200	1886-200	886-200P	25	0	120
1-1/2X22	886-220	1886-220	886-220P	25	0	120
1-1/2X24	886-240	1886-240	886-240P	25	0	120
1-1/2X30	886-300	1886-300	886-300P	5	0	120
1-1/2X36	886-360	1886-360	886-360P	5	0	120
1-1/2X42	886-420	1886-420	886-420P	5	0	120
1-1/2X48	886-480	1886-480	886-480P	5	0	120

2" Diameter

2XCLOSE	887-005	1887-005	887-005P	25	0	120
2X2	887-020	1887-020	887-020P	25	0	120
2X2-1/2	887-025	1887-025	887-025P	25	0	120
2X3	887-030	1887-030	887-030P	25	0	120
2X3-1/2	887-035	1887-035	887-035P	25	0	120
2X4	887-040	1887-040	887-040P	25	0	120
2X4-1/2	887-045	1887-045	887-045P	25	0	120
2X5	887-050	1887-050	887-050P	25	0	120
2X5-1/2	887-055	1887-055	887-055P	25	0	120
2X6	887-060	1887-060	887-060P	25	0	120
2X7	887-070	1887-070	887-070P	25	0	120
2X8	887-080	1887-080	887-080P	25	0	120
2X9	887-090	1887-090	887-090P	25	0	120
2X10	887-100	1887-100	887-100P	25	0	120
2X11	887-110	1887-110	887-110P	25	0	120
2X12	887-120	1887-120	887-120P	25	0	120
2X13	887-130	1887-130	887-130P	25	0	120
2X14	887-140	1887-140	887-140P	20	0	120
2X15	887-150	1887-150	887-150P	20	0	120
2X16	887-160	1887-160	887-160P	20	0	120
2X17	887-170	1887-170	887-170P	20	0	120
2X18	887-180	1887-180	887-180P	20	0	120
2X19	887-190	1887-190	887-190P	25	0	120
2X20	887-200	1887-200	887-200P	20	0	120
2X22	887-220	1887-220	887-220P	20	0	120
2X24	887-240	1887-240	887-240P	20	0	120
2X30	887-300	1887-300	887-300P	5	0	120
2X36	887-360	1887-360	887-360P	5	0	120
2X42	887-420	1887-420	887-420P	5	0	120
2X48	887-480	1887-480	887-480P	5	0	120

2-1/2" Diameter

2-1/2XCLOSE	888-005	1888-005	888-005P	25	0	120
2-1/2X2-1/2	888-025	1888-025	888-025P	25	0	120
2-1/2X3	888-030	1888-030	888-030P	30	0	120
2-1/2X3-1/2	888-035	1888-035	888-035P	25	0	120
2-1/2X4	888-040	1888-040	888-040P	25	0	120
2-1/2X4-1/2	888-045	1888-045	888-045P	25	0	120
2-1/2X5	888-050	1888-050	888-050P	25	0	120
2-1/2X5-1/2	888-055	1888-055	888-055P	25	0	120
2-1/2X6	888-060	1888-060	888-060P	25	0	120
2-1/2X7	888-070	1888-070	888-070P	16	0	120
2-1/2X8	888-080	1888-080	888-080P	16	0	120
2-1/2X9	888-090	1888-090	888-090P	16	0	120
2-1/2X10	888-100	1888-100	888-100P	16	0	120

Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas
See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing

Page 4



Nipples Product

PVC, CPVC & PE Nipples

PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
2-1/2" Diameter						
2-1/2X11	888-110	1888-110	888-110P	16	0	120
2-1/2X12	888-120	1888-120	888-120P	16	0	120
2-1/2X13	888-130	1888-130	888-130P	25	0	120
2-1/2X14	888-140	1888-140	888-140P	25	0	120
2-1/2X15	888-150	1888-150	888-150P	25	0	120
2-1/2X16	888-160	1888-160	888-160P	20	0	120
2-1/2X17	888-170	1888-170	888-170P	20	0	120
2-1/2X18	888-180	1888-180	888-180P	20	0	120
2-1/2X19	888-190	1888-190	888-190P	25	0	120
2-1/2X20	888-200	1888-200	888-200P	12	0	120
2-1/2X22	888-220	1888-220	888-220P	25	0	120
2-1/2X24	888-240	1888-240	888-240P	10	0	120
2-1/2X30	888-300	1888-300	888-300P	3	0	120
2-1/2X36	888-360	1888-360	888-360P	3	0	120
2-1/2X42	888-420	1888-420	888-420P	3	0	120
2-1/2X48	888-480	1888-480	888-480P	3	0	120

3" Diameter

3XCLOSE	889-005	1889-005	889-005P	25	0	120
3X3	889-030	1889-030	889-030P	20	0	120
3X3-1/2	889-035	1889-035	889-035P	30	0	120
3X4	889-040	1889-040	889-040P	30	0	120
3X4-1/2	889-045	1889-045	889-045P	20	0	120
3X5	889-050	1889-050	889-050P	20	0	120
3X5-1/2	889-055	1889-055	889-055P	20	0	120
3X6	889-060	1889-060	889-060P	20	0	120
3X7	889-070	1889-070	889-070P	10	0	120
3X8	889-080	1889-080	889-080P	10	0	120
3X9	889-090	1889-090	889-090P	10	0	120
3X10	889-100	1889-100	889-100P	10	0	120
3X11	889-110	1889-110	889-110P	10	0	120
3X12	889-120	1889-120	889-120P	10	0	120
3X13	889-130	1889-130	889-130P	20	0	120
3X14	889-140	1889-140	889-140P	20	0	120
3X15	889-150	1889-150	889-150P	20	0	120
3X16	889-160	1889-160	889-160P	20	0	120
3X17	889-170	1889-170	889-170P	10	0	120
3X18	889-180	1889-180	889-180P	10	0	120
3X19	889-190	1889-190	889-190P	10	0	120
3X20	889-200	1889-200	889-200P	10	0	120
3X22	889-220	1889-220	889-220P	10	0	120
3X24	889-240	1889-240	889-240P	10	0	120
3X30	889-300	1889-300	889-300P	3	0	120
3X36	889-360	1889-360	889-360P	3	0	120
3X42	889-420	1889-420	889-420P	3	0	120
3X48	889-480	1889-480	889-480P	3	0	120

4" Diameter

4XCLOSE	890-005	1890-005	890-005P	25	0	120
4X2-1/2	890-025	1890-025	890-025P	18	0	120
4X3	890-030	1890-030	890-030P	25	0	120
4X3-1/2	890-035	1890-035	890-035P	25	0	120
4X4	890-040	1890-040	890-040P	18	0	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
4" Diameter						
4X4-1/2	890-045	1890-045	890-045P	12	0	120
4X5	890-050	1890-050	890-050P	12	0	120
4X5-1/2	890-055	1890-055	890-055P	12	0	120
4X6	890-060	1890-060	890-060P	12	0	120
4X7	890-070	1890-070	890-070P	16	0	120
4X8	890-080	1890-080	890-080P	16	0	120
4X9	890-090	1890-090	890-090P	16	0	120
4X10	890-100	1890-100	890-100P	16	0	120
4X11	890-110	1890-110	890-110P	16	0	120
4X12	890-120	1890-120	890-120P	16	0	120
4X13	890-130	1890-130	890-130P	16	0	120
4X14	890-140	1890-140	890-140P	15	0	120
4X15	890-150	1890-150	890-150P	12	0	120
4X16	890-160	1890-160	890-160P	12	0	120
4X17	890-170	1890-170	890-170P	12	0	120
4X18	890-180	1890-180	890-180P	4	0	120
4X19	890-190	1890-190	890-190P	12	0	120
4X20	890-200	1890-200	890-200P	4	0	120
4X22	890-220	1890-220	890-220P	4	0	120
4X24	890-240	1890-240	890-240P	4	0	120
4X30	890-300	1890-300	890-300P	3	0	120
4X36	890-360	1890-360	890-360P	3	0	120
4X42	890-420	1890-420	890-420P	3	0	120
4X48	890-480	1890-480	890-480P	3	0	120

6" Diameter

6XCLOSE	892-005	1892-005	892-005P	8	0	120
6X4	892-040	1892-040	892-040P	4	0	120
6X4-1/2	892-045	1892-045	892-045P	4	0	120
6X5	892-050	1892-050	892-050P	1	2	120
6X5-1/2	892-055	1892-055	892-055P	1	2	120
6X6	892-060	1892-060	892-060P	1	2	120
6X7	892-070	1892-070	892-070P	1	2	120
6X8	892-080	1892-080	892-080P	1	0	120
6X9	892-090	1892-090	892-090P	1	0	120
6X10	892-100	1892-100	892-100P	1	0	120
6X11	892-110	1892-110	892-110P	1	0	120
6X12	892-120	1892-120	892-120P	1	0	120
6X13	892-130	1892-130	892-130P	1	0	120
6X14	892-140	1892-140	892-140P	1	0	120
6X15	892-150	1892-150	892-150P	1	0	120
6X16	892-160	1892-160	892-160P	1	2	120
6X17	892-170	1892-170	892-170P	1	2	120
6X18	892-180	1892-180	892-180P	1	6	120
6X19	892-190	1892-190	892-190P	1	0	120
6X20	892-200	1892-200	892-200P	2	0	120
6X22	892-220	1892-220	892-220P	1	0	120
6X24	892-240	1892-240	892-240P	1	5	120
6X30	892-300	1892-300	892-300P	1	0	120
6X36	892-360	1892-360	892-360P	1	0	120
6X42	892-420	1892-420	892-420P	1	0	120
6X48	892-480	1892-480	892-480P	1	0	120

8" Diameter

8XCLOSE	893-005	1893-005	893-005P	4	0	120
8X4-1/2	893-045	1893-045	893-045P	1	0	120

Nipples Product

PVC, CPVC & PE Nipples



PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
8" Diameter						
8X5	893-050	1893-050	893-050P	1	0	120
8X5-1/2	893-055	1893-055	893-055P	1	0	120
8X6	893-060	1893-060	893-060P	4	0	120
8X7	893-070	1893-070	893-070P	4	0	120
8X8	893-080	1893-080	893-080P	4	0	120
8X9	893-090	1893-090	893-090P	2	0	120
8X10	893-100	1893-100	893-100P	1	0	120
8X11	893-110	1893-110	893-110P	1	0	120
8X12	893-120	1893-120	893-120P	1	0	120
8X13	893-130	1893-130	893-130P	1	0	120
8X14	893-140	1893-140	893-140P	1	0	120
8X15	893-150	1893-150	893-150P	1	0	120
8X16	893-160	1893-160	893-160P	1	0	120
8X17	893-170	1893-170	893-170P	4	0	120
8X18	893-180	1893-180	893-180P	4	0	120
8X19	893-190	1893-190	893-190P	2	0	120
8X20	893-200	1893-200	893-200P	2	0	120
8X22	893-220	1893-220	893-220P	1	0	120
8X24	893-240	1893-240	893-240P	1	2	120
8X30	893-300	1893-300	893-300P	4	0	120
8X36	893-360	1893-360	893-360P	4	0	120
8X42	893-420	1893-420	893-420P	1	0	120
8X48	893-480	1893-480	893-480P	1	0	120

10" Diameter

10XCLOSE	894-005	1894-005	894-005P	1	0	120
10X2	894-020	1894-020	894-020P	1	6	120
10X4-1/2	894-045	1894-045	894-045P	1	0	120
10X5	894-050	1894-050	894-050P	1	0	120
10X5-1/2	894-055	1894-055	894-055P	1	0	120
10X6	894-060	1894-060	894-060P	2	0	120
10X7	894-070	1894-070	894-070P	1	0	120
10X8	894-080	1894-080	894-080P	1	0	120
10X9	894-090	1894-090	894-090P	1	0	120
10X10	894-100	1894-100	894-100P	1	0	120
10X11	894-110	1894-110	894-110P	1	0	120
10X12	894-120	1894-120	894-120P	1	0	120
10X13	894-130	1894-130	894-130P	1	0	120
10X14	894-140	1894-140	894-140P	1	0	120
10X15	894-150	1894-150	894-150P	1	0	120
10X16	894-160	1894-160	894-160P	1	0	120
10X17	894-170	1894-170	894-170P	1	0	120
10X18	894-180	1894-180	894-180P	1	2	120
10X19	894-190	1894-190	894-190P	1	0	120
10X20	894-200	1894-200	894-200P	1	0	120
10X22	894-220	1894-220	894-220P	1	0	120
10X24	894-240	1894-240	894-240P	1	2	120
10X30	894-300	1894-300	894-300P	1	0	120
10X36	894-360	1894-360	894-360P	1	0	120
10X42	894-420	1894-420	894-420P	1	0	120
10X48	894-480	1894-480	894-480P	1	0	120

PVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
12" Diameter						
12XCLOSE	895-005	1895-005	895-005P	1	0	120
12X5	895-050	1895-050	895-050P	1	0	120
12X5-1/2	895-055	1895-055	895-055P	1	0	120
12X6	895-060	1895-060	895-060P	1	0	120
12X7	895-070	1895-070	895-070P	1	0	120
12X8	895-080	1895-080	895-080P	1	0	120
12X9	895-090	1895-090	895-090P	1	0	120
12X10	895-100	1895-100	895-100P	1	0	120
12X11	895-110	1895-110	895-110P	1	0	120
12X12	895-120	1895-120	895-120P	1	0	120
12X13	895-130	1895-130	895-130P	1	0	120
12X14	895-140	1895-140	895-140P	1	0	120
12X15	895-150	1895-150	895-150P	1	0	120
12X16	895-160	1895-160	895-160P	1	0	120
12X17	895-170	1895-170	895-170P	1	0	120
12X18	895-180	1895-180	895-180P	1	0	120
12X19	895-190	1895-190	895-190P	1	0	120
12X20	895-200	1895-200	895-200P	1	0	120
12X22	895-220	1895-220	895-220P	1	0	120
12X24	895-240	1895-240	895-240P	1	0	120
12X30	895-300	1895-300	895-300P	1	0	120
12X36	895-360	1895-360	895-360P	1	0	120
12X42	895-420	1895-420	895-420P	1	0	120
12X48	895-480	1895-480	895-480P	1	0	120

Machined PVC Nipple Options - Threaded Both Ends (TBE)

The following nipples are normally injection molded, but are optionally available as machined nipples listed below. All other nipples are normally machined.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

PVC Schedule 80 Machined Nipples

1/4" Diameter



880-005M	1/4XCLOSE	25	1200	120
880-015M	1/4X1-1/2	25	1200	120
880-020M	1/4X2	25	500	120
880-030M	1/4X3	25	500	120
880-040M	1/4X4	25	250	120
880-050M	1/4X5	25	250	120

PVC Schedule 80 Machined Nipples

3/8" Diameter



881-015M	3/8X1-1/2	25	800	120
881-020M	3/8X2	25	600	120
881-030M	3/8X3	25	400	120
881-040M	3/8X4	25	300	120



Nipples Product

PVC, CPVC & PE Nipples

Machined PVC Nipple Options - Threaded Both Ends (TBE)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

PVC Schedule 80 Machined Nipples

1/2" Diameter

882-005M	1/2XCLOSE	25	450	120
882-015M	1/2X1-1/2	25	600	120
882-020M	1/2X2	25	300	120
882-025M	1/2X2-1/2	25	300	120
882-030M	1/2X3	25	300	120
882-040M	1/2X4	25	300	120
882-045M	1/2X4-1/2	25	300	120
882-050M	1/2X5	25	300	120
882-060M	1/2X6	25	300	120
882-070M	1/2X7	25	200	120
882-080M	1/2X8	25	0	120
882-100M	1/2X10	25	0	120
882-120M	1/2X12	25	0	120

PVC Schedule 80 Machined Nipples

3/4" Diameter

883-005M	3/4XCLOSE	25	300	120
883-015M	3/4X1-1/2	25	300	120
883-020M	3/4X2	25	300	120
883-025M	3/4X2-1/2	25	300	120
883-030M	3/4X3	25	300	120
883-035M	3/4X3-1/2	25	300	120
883-040M	3/4X4	25	300	120
883-045M	3/4X4-1/2	25	200	120
883-050M	3/4X5	25	200	120
883-060M	3/4X6	25	200	120
883-080M	3/4X8	25	0	120
883-100M	3/4X10	25	0	120
883-120M	3/4X12	25	0	120

PVC Schedule 80 Machined Nipples

1" Diameter

884-005M	1XCLOSE	25	300	120
884-020M	1X2	25	300	120
884-025M	1X2-1/2	25	200	120
884-030M	1X3	25	200	120
884-040M	1X4	25	200	120
884-050M	1X5	25	0	120
884-060M	1X6	25	0	120
884-080M	1X8	25	0	120
884-100M	1X10	25	0	120
884-120M	1X12	25	0	120

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

PVC Schedule 80 Machined Nipples

1-1/4" Diameter

885-005M	1-1/4XCLOSE	25	200	120
885-020M	1-1/4X2	25	200	120
885-030M	1-1/4X3	25	0	120
885-040M	1-1/4X4	25	0	120
885-060M	1-1/4X6	25	0	120
885-120M	1-1/4X12	25	0	120

PVC Schedule 80 Machined Nipples

1-1/2" Diameter

886-005M	1-1/2XCLOSE	25	0	120
886-020M	1-1/2X2	25	0	120
886-030M	1-1/2X3	25	0	120
886-040M	1-1/2X4	25	0	120
886-060M	1-1/2X6	25	0	120
886-070M	1-1/2X7	25	0	120
886-080M	1-1/2X8	25	0	120
886-100M	1-1/2X10	25	0	120
886-120M	1-1/2X12	25	0	120

PVC Schedule 80 Machined Nipples

2" Diameter

887-005M	2XCLOSE	25	0	120
887-030M	2X3	25	0	120
887-040M	2X4	25	0	120
887-060M	2X6	25	0	120

PVC Reducing Nipples

PVC Reducing Nipples

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
882-101	3/4X1/2	50	300	120
884-130R	1X1/2	25	300	120
884-131	1X3/4	50	200	120

CPVC Nipples

CPVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/4" Diameter						
1/4XCLOSE	880-005C	1880-005C	880-005CP	25	1200	121
1/4X1-1/2	880-015C	1880-015C	880-015CP	25	1200	121
1/4X2	880-020C	1880-020C	880-020CP	25	500	121
1/4X2-1/2	880-025C	1880-025C	880-025CP	25	500	121
1/4X3	880-030C	1880-030C	880-030CP	25	500	121
1/4X3-1/2	880-035C	1880-035C	880-035CP	25	500	121

Nipples Product PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/4" Diameter						
1/4X4	880-040C	1880-040C	880-040CP	25	250	121
1/4X4-1/2	880-045C	1880-045C	880-045CP	25	250	121
1/4X5	880-050C	1880-050C	880-050CP	25	250	121
1/4X5-1/2	880-055C	1880-055C	880-055CP	25	250	121
1/4X6	880-060C	1880-060C	880-060CP	25	250	121
1/4X7	880-070C	1880-070C	880-070CP	25	250	121
1/4X8	880-080C	1880-080C	880-080CP	25	250	121
1/4X9	880-090C	1880-090C	880-090CP	25	250	121
1/4X10	880-100C	1880-100C	880-100CP	25	250	121
1/4X11	880-110C	1880-110C	880-110CP	25	250	121
1/4X12	880-120C	1880-120C	880-120CP	25	250	121
1/4X13	880-130C	1880-130C	880-130CP	25	250	121
1/4X14	880-140C	1880-140C	880-140CP	25	250	121
1/4X15	880-150C	1880-150C	880-150CP	25	500	121
1/4X16	880-160C	1880-160C	880-160CP	25	250	121
1/4X17	880-170C	1880-170C	880-170CP	25	0	121
1/4X18	880-180C	1880-180C	880-180CP	25	300	121
1/4X19	880-190C	1880-190C	880-190CP	25	0	121
1/4X20	880-200C	1880-200C	880-200CP	25	0	121
1/4X22	880-220C	1880-220C	880-220CP	25	300	121
1/4X24	880-240C	1880-240C	880-240CP	25	0	121
1/4X30	880-300C	1880-300C	880-300CP	25	0	121
1/4X36	880-360C	1880-360C	880-360CP	25	0	121
1/4X42	880-420C	1880-420C	880-420CP	25	0	121
1/4X48	880-480C	1880-480C	880-480CP	25	0	121

3/8" Diameter

3/8XCLOSE	881-005C	1881-005C	881-005CP	25	800	121
3/8X1-1/2	881-015C	1881-015C	881-015CP	25	800	121
3/8X2	881-020C	1881-020C	881-020CP	25	600	121
3/8X2-1/2	881-025C	1881-025C	881-025CP	25	600	121
3/8X3	881-030C	1881-030C	881-030CP	25	400	121
3/8X3-1/2	881-035C	1881-035C	881-035CP	25	400	121
3/8X4	881-040C	1881-040C	881-040CP	25	300	121
3/8X4-1/2	881-045C	1881-045C	881-045CP	25	250	121
3/8X5	881-050C	1881-050C	881-050CP	25	250	121
3/8X5-1/2	881-055C	1881-055C	881-055CP	25	250	121
3/8X6	881-060C	1881-060C	881-060CP	25	250	121
3/8X7	881-070C	1881-070C	881-070CP	25	200	121
3/8X8	881-080C	1881-080C	881-080CP	25	200	121
3/8X9	881-090C	1881-090C	881-090CP	25	200	121
3/8X10	881-100C	1881-100C	881-100CP	25	200	121
3/8X11	881-110C	1881-110C	881-110CP	25	200	121
3/8X12	881-120C	1881-120C	881-120CP	25	200	121
3/8X13	881-130C	1881-130C	881-130CP	25	0	121
3/8X14	881-140C	1881-140C	881-140CP	25	200	121
3/8X15	881-150C	1881-150C	881-150CP	25	200	121
3/8X16	881-160C	1881-160C	881-160CP	25	200	121
3/8X17	881-170C	1881-170C	881-170CP	25	0	121
3/8X18	881-180C	1881-180C	881-180CP	25	200	121
3/8X19	881-190C	1881-190C	881-190CP	25	0	121
3/8X20	881-200C	1881-200C	881-200CP	25	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/8" Diameter						
3/8X22	881-220C	1881-220C	881-220CP	25	0	121
3/8X24	881-240C	1881-240C	881-240CP	25	0	121
3/8X30	881-300C	1881-300C	881-300CP	25	0	121
3/8X36	881-360C	1881-360C	881-360CP	25	0	121
3/8X42	881-420C	1881-420C	881-420CP	25	0	121
3/8X48	881-480C	1881-480C	881-480CP	25	0	121

1/2" Diameter

1/2XCLOSE	882-005C	1882-005C	882-005CP	25	450	121
1/2X1-1/2	882-015C	1882-015C	882-015CP	25	600	121
1/2X2	882-020C	1882-020C	882-020CP	25	300	121
1/2X2-1/2	882-025C	1882-025C	882-025CP	25	300	121
1/2X3	882-030C	1882-030C	882-030CP	25	300	121
1/2X3-1/2	882-035C	1882-035C	882-035CP	25	300	121
1/2X4	882-040C	1882-040C	882-040CP	25	300	121
1/2X4-1/2	882-045C	1882-045C	882-045CP	25	300	121
1/2X5	882-050C	1882-050C	882-050CP	25	300	121
1/2X5-1/2	882-055C	1882-055C	882-055CP	25	300	121
1/2X6	882-060C	1882-060C	882-060CP	25	300	121
1/2X7	882-070C	1882-070C	882-070CP	25	200	121
1/2X8	882-080C	1882-080C	882-080CP	25	0	121
1/2X9	882-090C	1882-090C	882-090CP	25	0	121
1/2X10	882-100C	1882-100C	882-100CP	25	0	121
1/2X11	882-110C	1882-110C	882-110CP	25	0	121
1/2X12	882-120C	1882-120C	882-120CP	25	0	121
1/2X13	882-130C	1882-130C	882-130CP	25	0	121
1/2X14	882-140C	1882-140C	882-140CP	100	0	121
1/2X15	882-150C	1882-150C	882-150CP	100	0	121
1/2X16	882-160C	1882-160C	882-160CP	100	0	121
1/2X17	882-170C	1882-170C	882-170CP	100	0	121
1/2X18	882-180C	1882-180C	882-180CP	25	100	121
1/2X19	882-190C	1882-190C	882-190CP	100	0	121
1/2X20	882-200C	1882-200C	882-200CP	100	0	121
1/2X22	882-220C	1882-220C	882-220CP	100	0	121
1/2X24	882-240C	1882-240C	882-240CP	100	0	121
1/2X30	882-300C	1882-300C	882-300CP	25	0	121
1/2X36	882-360C	1882-360C	882-360CP	25	0	121
1/2X42	882-420C	1882-420C	882-420CP	25	0	121
1/2X48	882-480C	1882-480C	882-480CP	25	0	121

3/4" Diameter

3/4XCLOSE	883-005C	1883-005C	883-005CP	25	300	121
3/4X1-1/2	883-015C	1883-015C	883-015CP	25	300	121
3/4X2	883-020C	1883-020C	883-020CP	25	300	121
3/4X2-1/2	883-025C	1883-025C	883-025CP	25	300	121
3/4X3	883-030C	1883-030C	883-030CP	25	300	121
3/4X3-1/2	883-035C	1883-035C	883-035CP	25	300	121
3/4X4	883-040C	1883-040C	883-040CP	25	300	121
3/4X4-1/2	883-045C	1883-045C	883-045CP	25	200	121
3/4X5	883-050C	1883-050C	883-050CP	25	200	121
3/4X5-1/2	883-055C	1883-055C	883-055CP	25	200	121
3/4X6	883-060C	1883-060C	883-060CP	25	200	121
3/4X7	883-070C	1883-070C	883-070CP	25	200	121
3/4X8	883-080C	1883-080C	883-080CP	25	0	121
3/4X9	883-090C	1883-090C	883-090CP	25	0	121
3/4X10	883-100C	1883-100C	883-100CP	25	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/4" Diameter						
3/4X11	883-110C	1883-110C	883-110CP	25	0	121
3/4X12	883-120C	1883-120C	883-120CP	25	0	121
3/4X13	883-130C	1883-130C	883-130CP	25	0	121
3/4X14	883-140C	1883-140C	883-140CP	100	0	121
3/4X15	883-150C	1883-150C	883-150CP	100	0	121
3/4X16	883-160C	1883-160C	883-160CP	100	0	121
3/4X17	883-170C	1883-170C	883-170CP	100	0	121
3/4X18	883-180C	1883-180C	883-180CP	100	0	121
3/4X19	883-190C	1883-190C	883-190CP	100	0	121
3/4X20	883-200C	1883-200C	883-200CP	100	0	121
3/4X22	883-220C	1883-220C	883-220CP	100	0	121
3/4X24	883-240C	1883-240C	883-240CP	100	0	121
3/4X30	883-300C	1883-300C	883-300CP	25	0	121
3/4X36	883-360C	1883-360C	883-360CP	25	0	121
3/4X42	883-420C	1883-420C	883-420CP	25	0	121
3/4X48	883-480C	1883-480C	883-480CP	25	0	121

1" Diameter

1XCLOSE	884-005C	1884-005C	884-005CP	25	300	121
1X2	884-020C	1884-020C	884-020CP	25	300	121
1X2-1/2	884-025C	1884-025C	884-025CP	25	200	121
1X3	884-030C	1884-030C	884-030CP	25	200	121
1X3-1/2	884-035C	1884-035C	884-035CP	25	200	121
1X4	884-040C	1884-040C	884-040CP	25	200	121
1X4-1/2	884-045C	1884-045C	884-045CP	25	200	121
1X5	884-050C	1884-050C	884-050CP	25	0	121
1X5-1/2	884-055C	1884-055C	884-055CP	25	0	121
1X6	884-060C	1884-060C	884-060CP	25	0	121
1X7	884-070C	1884-070C	884-070CP	25	0	121
1X8	884-080C	1884-080C	884-080CP	25	0	121
1X9	884-090C	1884-090C	884-090CP	25	0	121
1X10	884-100C	1884-100C	884-100CP	25	0	121
1X11	884-110C	1884-110C	884-110CP	25	0	121
1X12	884-120C	1884-120C	884-120CP	25	0	121
1X13	884-130C	1884-130C	884-130CP	25	0	121
1X14	884-140C	1884-140C	884-140CP	50	0	121
1X15	884-150C	1884-150C	884-150CP	50	0	121
1X16	884-160C	1884-160C	884-160CP	50	0	121
1X17	884-170C	1884-170C	884-170CP	50	0	121
1X18	884-180C	1884-180C	884-180CP	50	0	121
1X19	884-190C	1884-190C	884-190CP	50	0	121
1X20	884-200C	1884-200C	884-200CP	50	0	121
1X22	884-220C	1884-220C	884-220CP	50	0	121
1X24	884-240C	1884-240C	884-240CP	50	0	121
1X30	884-300C	1884-300C	884-300CP	15	0	121
1X36	884-360C	1884-360C	884-360CP	15	0	121
1X42	884-420C	1884-420C	884-420CP	15	0	121
1X48	884-480C	1884-480C	884-480CP	15	0	121

1-1/4" Diameter

1-1/4XCLOSE	885-005C	1885-005C	885-005CP	25	200	121
1-1/4X2	885-020C	1885-020C	885-020CP	25	200	121
1-1/4X2-1/2	885-025C	1885-025C	885-025CP	25	200	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/4" Diameter						
1-1/4X3	885-030C	1885-030C	885-030CP	25	0	121
1-1/4X3-1/2	885-035C	1885-035C	885-035CP	25	0	121
1-1/4X4	885-040C	1885-040C	885-040CP	25	0	121
1-1/4X4-1/2	885-045C	1885-045C	885-045CP	25	0	121
1-1/4X5	885-050C	1885-050C	885-050CP	25	0	121
1-1/4X5-1/2	885-055C	1885-055C	885-055CP	25	0	121
1-1/4X6	885-060C	1885-060C	885-060CP	25	0	121
1-1/4X7	885-070C	1885-070C	885-070CP	25	0	121
1-1/4X8	885-080C	1885-080C	885-080CP	25	0	121
1-1/4X9	885-090C	1885-090C	885-090CP	25	0	121
1-1/4X10	885-100C	1885-100C	885-100CP	25	0	121
1-1/4X11	885-110C	1885-110C	885-110CP	25	0	121
1-1/4X12	885-120C	1885-120C	885-120CP	25	0	121
1-1/4X13	885-130C	1885-130C	885-130CP	25	0	121
1-1/4X14	885-140C	1885-140C	885-140CP	25	0	121
1-1/4X15	885-150C	1885-150C	885-150CP	25	0	121
1-1/4X16	885-160C	1885-160C	885-160CP	25	0	121
1-1/4X17	885-170C	1885-170C	885-170CP	25	0	121
1-1/4X18	885-180C	1885-180C	885-180CP	25	0	121
1-1/4X19	885-190C	1885-190C	885-190CP	25	0	121
1-1/4X20	885-200C	1885-200C	885-200CP	25	0	121
1-1/4X22	885-220C	1885-220C	885-220CP	25	0	121
1-1/4X24	885-240C	1885-240C	885-240CP	25	0	121
1-1/4X30	885-300C	1885-300C	885-300CP	10	0	121
1-1/4X36	885-360C	1885-360C	885-360CP	10	0	121
1-1/4X42	885-420C	1885-420C	885-420CP	10	0	121
1-1/4X48	885-480C	1885-480C	885-480CP	10	0	121

1-1/2" Diameter

1-1/2XCLOSE	886-005C	1886-005C	886-005CP	25	0	121
1-1/2X2	886-020C	1886-020C	886-020CP	25	0	121
1-1/2X2-1/2	886-025C	1886-025C	886-025CP	25	0	121
1-1/2X3	886-030C	1886-030C	886-030CP	25	0	121
1-1/2X3-1/2	886-035C	1886-035C	886-035CP	25	0	121
1-1/2X4	886-040C	1886-040C	886-040CP	25	0	121
1-1/2X4-1/2	886-045C	1886-045C	886-045CP	25	0	121
1-1/2X5	886-050C	1886-050C	886-050CP	25	0	121
1-1/2X5-1/2	886-055C	1886-055C	886-055CP	25	0	121
1-1/2X6	886-060C	1886-060C	886-060CP	25	0	121
1-1/2X7	886-070C	1886-070C	886-070CP	25	0	121
1-1/2X8	886-080C	1886-080C	886-080CP	25	0	121
1-1/2X9	886-090C	1886-090C	886-090CP	25	0	121
1-1/2X10	886-100C	1886-100C	886-100CP	25	0	121
1-1/2X11	886-110C	1886-110C	886-110CP	25	0	121
1-1/2X12	886-120C	1886-120C	886-120CP	25	0	121
1-1/2X13	886-130C	1886-130C	886-130CP	25	0	121
1-1/2X14	886-140C	1886-140C	886-140CP	25	0	121
1-1/2X15	886-150C	1886-150C	886-150CP	25	0	121
1-1/2X16	886-160C	1886-160C	886-160CP	25	0	121
1-1/2X17	886-170C	1886-170C	886-170CP	25	0	121
1-1/2X18	886-180C	1886-180C	886-180CP	25	0	121
1-1/2X19	886-190C	1886-190C	886-190CP	25	0	121
1-1/2X20	886-200C	1886-200C	886-200CP	25	0	121
1-1/2X22	886-220C	1886-220C	886-220CP	25	0	121
1-1/2X24	886-240C	1886-240C	886-240CP	25	0	121

Nipples Product

PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/2" Diameter						
1-1/2X30	886-300C	1886-300C	886-300CP	5	0	121
1-1/2X36	886-360C	1886-360C	886-360CP	5	0	121
1-1/2X42	886-420C	1886-420C	886-420CP	5	0	121
1-1/2X48	886-480C	1886-480C	886-480CP	5	0	121

2" Diameter

2XCLOSE	887-005C	1887-005C	887-005CP	25	0	121
2X2	887-020C	1887-020C	887-020CP	25	0	121
2X2-1/2	887-025C	1887-025C	887-025CP	25	0	121
2X3	887-030C	1887-030C	887-030CP	25	0	121
2X3-1/2	887-035C	1887-035C	887-035CP	25	0	121
2X4	887-040C	1887-040C	887-040CP	25	0	121
2X4-1/2	887-045C	1887-045C	887-045CP	25	0	121
2X5	887-050C	1887-050C	887-050CP	25	0	121
2X5-1/2	887-055C	1887-055C	887-055CP	25	0	121
2X6	887-060C	1887-060C	887-060CP	25	0	121
2X7	887-070C	1887-070C	887-070CP	25	0	121
2X8	887-080C	1887-080C	887-080CP	25	0	121
2X9	887-090C	1887-090C	887-090CP	25	0	121
2X10	887-100C	1887-100C	887-100CP	25	0	121
2X11	887-110C	1887-110C	887-110CP	25	0	121
2X12	887-120C	1887-120C	887-120CP	25	0	121
2X13	887-130C	1887-130C	887-130CP	25	0	121
2X14	887-140C	1887-140C	887-140CP	25	0	121
2X15	887-150C	1887-150C	887-150CP	25	0	121
2X16	887-160C	1887-160C	887-160CP	25	0	121
2X17	887-170C	1887-170C	887-170CP	20	0	121
2X18	887-180C	1887-180C	887-180CP	20	0	121
2X19	887-190C	1887-190C	887-190CP	25	0	121
2X20	887-200C	1887-200C	887-200CP	20	0	121
2X22	887-220C	1887-220C	887-220CP	20	0	121
2X24	887-240C	1887-240C	887-240CP	20	0	121
2X30	887-300C	1887-300C	887-300CP	5	0	121
2X36	887-360C	1887-360C	887-360CP	5	0	121
2X42	887-420C	1887-420C	887-420CP	5	0	121
2X48	887-480C	1887-480C	887-480CP	5	0	121

2-1/2" Diameter

2-1/2XCLOSE	888-005C	1888-005C	888-005CP	25	0	121
2-1/2X3	888-030C	1888-030C	888-030CP	25	0	121
2-1/2X3-1/2	888-035C	1888-035C	888-035CP	25	0	121
2-1/2X4	888-040C	1888-040C	888-040CP	25	0	121
2-1/2X4-1/2	888-045C	1888-045C	888-045CP	25	0	121
2-1/2X5	888-050C	1888-050C	888-050CP	25	0	121
2-1/2X5-1/2	888-055C	1888-055C	888-055CP	25	0	121
2-1/2X6	888-060C	1888-060C	888-060CP	25	0	121
2-1/2X7	888-070C	1888-070C	888-070CP	16	0	121
2-1/2X8	888-080C	1888-080C	888-080CP	16	0	121
2-1/2X9	888-090C	1888-090C	888-090CP	25	0	121
2-1/2X10	888-100C	1888-100C	888-100CP	16	0	121
2-1/2X11	888-110C	1888-110C	888-110CP	16	0	121
2-1/2X12	888-120C	1888-120C	888-120CP	16	0	121
2-1/2X13	888-130C	1888-130C	888-130CP	25	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
2-1/2" Diameter						
2-1/2X14	888-140C	1888-140C	888-140CP	25	0	121
2-1/2X15	888-150C	1888-150C	888-150CP	25	0	121
2-1/2X16	888-160C	1888-160C	888-160CP	20	0	121
2-1/2X17	888-170C	1888-170C	888-170CP	20	0	121
2-1/2X18	888-180C	1888-180C	888-180CP	20	0	121
2-1/2X19	888-190C	1888-190C	888-190CP	25	0	121
2-1/2X20	888-200C	1888-200C	888-200CP	12	0	121
2-1/2X22	888-220C	1888-220C	888-220CP	25	0	121
2-1/2X24	888-240C	1888-240C	888-240CP	10	0	121
2-1/2X30	888-300C	1888-300C	888-300CP	3	0	121
2-1/2X36	888-360C	1888-360C	888-360CP	3	0	121
2-1/2X42	888-420C	1888-420C	888-420CP	3	0	121
2-1/2X48	888-480C	1888-480C	888-480CP	3	0	121

3" Diameter

3XCLOSE	889-005C	1889-005C	889-005CP	25	0	121
3X3	889-030C	1889-030C	889-030CP	20	0	121
3X3-1/2	889-035C	1889-035C	889-035CP	30	0	121
3X4	889-040C	1889-040C	889-040CP	30	0	121
3X4-1/2	889-045C	1889-045C	889-045CP	20	0	121
3X5	889-050C	1889-050C	889-050CP	20	0	121
3X5-1/2	889-055C	1889-055C	889-055CP	20	0	121
3X6	889-060C	1889-060C	889-060CP	20	0	121
3X7	889-070C	1889-070C	889-070CP	10	0	121
3X8	889-080C	1889-080C	889-080CP	10	0	121
3X9	889-090C	1889-090C	889-090CP	10	0	121
3X10	889-100C	1889-100C	889-100CP	10	0	121
3X11	889-110C	1889-110C	889-110CP	10	0	121
3X12	889-120C	1889-120C	889-120CP	10	0	121
3X13	889-130C	1889-130C	889-130CP	20	0	121
3X14	889-140C	1889-140C	889-140CP	20	0	121
3X15	889-150C	1889-150C	889-150CP	20	0	121
3X16	889-160C	1889-160C	889-160CP	20	0	121
3X17	889-170C	1889-170C	889-170CP	10	0	121
3X18	889-180C	1889-180C	889-180CP	10	0	121
3X19	889-190C	1889-190C	889-190CP	10	0	121
3X20	889-200C	1889-200C	889-200CP	10	0	121
3X22	889-220C	1889-220C	889-220CP	10	0	121
3X24	889-240C	1889-240C	889-240CP	10	0	121
3X30	889-300C	1889-300C	889-300CP	3	0	121
3X36	889-360C	1889-360C	889-360CP	3	0	121
3X42	889-420C	1889-420C	889-420CP	3	0	121
3X48	889-480C	1889-480C	889-480CP	3	0	121

4" Diameter

4XCLOSE	890-005C	1890-005C	890-005CP	25	0	121
4X3	890-030C	1890-030C	890-030CP	25	0	121
4X3-1/2	890-035C	1890-035C	890-035CP	25	0	121
4X4	890-040C	1890-040C	890-040CP	18	0	121
4X4-1/2	890-045C	1890-045C	890-045CP	12	0	121
4X5	890-050C	1890-050C	890-050CP	12	0	121
4X5-1/2	890-055C	1890-055C	890-055CP	12	0	121
4X6	890-060C	1890-060C	890-060CP	12	0	121
4X7	890-070C	1890-070C	890-070CP	16	0	121
4X8	890-080C	1890-080C	890-080CP	16	0	121
4X9	890-090C	1890-090C	890-090CP	16	0	121

Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas
See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing

Page 10



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
4" Diameter						
4X10	890-100C	1890-100C	890-100CP	16	0	121
4X11	890-110C	1890-110C	890-110CP	16	0	121
4X12	890-120C	1890-120C	890-120CP	16	0	121
4X13	890-130C	1890-130C	890-130CP	16	0	121
4X14	890-140C	1890-140C	890-140CP	16	0	121
4X15	890-150C	1890-150C	890-150CP	12	0	121
4X16	890-160C	1890-160C	890-160CP	12	0	121
4X17	890-170C	1890-170C	890-170CP	12	0	121
4X18	890-180C	1890-180C	890-180CP	4	0	121
4X19	890-190C	1890-190C	890-190CP	12	0	121
4X20	890-200C	1890-200C	890-200CP	8	0	121
4X22	890-220C	1890-220C	890-220CP	8	0	121
4X24	890-240C	1890-240C	890-240CP	4	0	121
4X30	890-300C	1890-300C	890-300CP	3	0	121
4X36	890-360C	1890-360C	890-360CP	3	0	121
4X42	890-420C	1890-420C	890-420CP	3	0	121
4X48	890-480C	1890-480C	890-480CP	3	0	121

6" Diameter

6XCLOSE	892-005C	1892-005C	892-005CP	1	8	121
6X3	892-030C	1892-030C	892-030CP	1	4	121
6X4	892-040C	1892-040C	892-040CP	4	0	121
6X4-1/2	892-045C	1892-045C	892-045CP	1	4	121
6X5	892-050C	1892-050C	892-050CP	1	2	121
6X5-1/2	892-055C	1892-055C	892-055CP	1	2	121
6X6	892-060C	1892-060C	892-060CP	2	0	121
6X7	892-070C	1892-070C	892-070CP	1	2	121
6X8	892-080C	1892-080C	892-080CP	1	0	121
6X9	892-090C	1892-090C	892-090CP	1	0	121
6X10	892-100C	1892-100C	892-100CP	1	0	121
6X11	892-110C	1892-110C	892-110CP	1	0	121
6X12	892-120C	1892-120C	892-120CP	1	0	121
6X13	892-130C	1892-130C	892-130CP	1	0	121
6X14	892-140C	1892-140C	892-140CP	1	0	121
6X15	892-150C	1892-150C	892-150CP	1	0	121
6X16	892-160C	1892-160C	892-160CP	1	0	121
6X17	892-170C	1892-170C	892-170CP	1	0	121
6X18	892-180C	1892-180C	892-180CP	1	6	121
6X19	892-190C	1892-190C	892-190CP	1	0	121
6X20	892-200C	1892-200C	892-200CP	1	0	121
6X22	892-220C	1892-220C	892-220CP	1	0	121
6X24	892-240C	1892-240C	892-240CP	1	3	121
6X30	892-300C	1892-300C	892-300CP	1	0	121
6X36	892-360C	1892-360C	892-360CP	1	0	121
6X42	892-420C	1892-420C	892-420CP	1	0	121
6X48	892-480C	1892-480C	892-480CP	1	0	121

8" Diameter

8XCLOSE	893-005C	1893-005C	893-005CP	2	0	121
8X4-1/2	893-045C	1893-045C	893-045CP	1	0	121
8X5	893-050C	1893-050C	893-050CP	4	0	121
8X5-1/2	893-055C	1893-055C	893-055CP	1	0	121
8X6	893-060C	1893-060C	893-060CP	1	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
8" Diameter						
8X7	893-070C	1893-070C	893-070CP	1	0	121
8X8	893-080C	1893-080C	893-080CP	4	0	121
8X9	893-090C	1893-090C	893-090CP	1	0	121
8X10	893-100C	1893-100C	893-100CP	1	0	121
8X11	893-110C	1893-110C	893-110CP	1	0	121
8X12	893-120C	1893-120C	893-120CP	1	0	121
8X13	893-130C	1893-130C	893-130CP	1	0	121
8X14	893-140C	1893-140C	893-140CP	1	0	121
8X15	893-150C	1893-150C	893-150CP	1	0	121
8X16	893-160C	1893-160C	893-160CP	1	0	121
8X17	893-170C	1893-170C	893-170CP	1	0	121
8X18	893-180C	1893-180C	893-180CP	4	0	121
8X19	893-190C	1893-190C	893-190CP	1	0	121
8X20	893-200C	1893-200C	893-200CP	2	0	121
8X22	893-220C	1893-220C	893-220CP	1	0	121
8X24	893-240C	1893-240C	893-240CP	2	2	121
8X30	893-300C	1893-300C	893-300CP	4	0	121
8X36	893-360C	1893-360C	893-360CP	1	0	121
8X42	893-420C	1893-420C	893-420CP	1	0	121
8X48	893-480C	1893-480C	893-480CP	1	0	121

10" Diameter

10XCLOSE	894-005C	1894-005C	894-005CP	1	0	121
10X4-1/2	894-045C	1894-045C	894-045CP	1	0	121
10X5	894-050C	1894-050C	894-050CP	1	0	121
10X5-1/2	894-055C	1894-055C	894-055CP	1	0	121
10X6	894-060C	1894-060C	894-060CP	1	0	121
10X7	894-070C	1894-070C	894-070CP	1	0	121
10X8	894-080C	1894-080C	894-080CP	1	0	121
10X9	894-090C	1894-090C	894-090CP	1	0	121
10X10	894-100C	1894-100C	894-100CP	1	0	121
10X11	894-110C	1894-110C	894-110CP	1	0	121
10X12	894-120C	1894-120C	894-120CP	1	0	121
10X13	894-130C	1894-130C	894-130CP	1	0	121
10X14	894-140C	1894-140C	894-140CP	1	0	121
10X15	894-150C	1894-150C	894-150CP	1	0	121
10X16	894-160C	1894-160C	894-160CP	1	0	121
10X17	894-170C	1894-170C	894-170CP	1	0	121
10X18	894-180C	1894-180C	894-180CP	1	0	121
10X19	894-190C	1894-190C	894-190CP	1	0	121
10X20	894-200C	1894-200C	894-200CP	1	0	121
10X22	894-220C	1894-220C	894-220CP	1	0	121
10X24	894-240C	1894-240C	894-240CP	1	2	121
10X30	894-300C	1894-300C	894-300CP	1	0	121
10X36	894-360C	1894-360C	894-360CP	1	0	121
10X42	894-420C	1894-420C	894-420CP	1	0	121
10X48	894-480C	1894-480C	894-480CP	1	0	121

12" Diameter

12XCLOSE	895-005C	1895-005C	895-005CP	1	0	121
12X5	895-050C	1895-050C	895-050CP	1	0	121
12X5-1/2	895-055C	1895-055C	895-055CP	1	0	121
12X6	895-060C	1895-060C	895-060CP	1	0	121
12X7	895-070C	1895-070C	895-070CP	1	0	121
12X8	895-080C	1895-080C	895-080CP	1	0	121
12X9	895-090C	1895-090C	895-090CP	1	0	121

Nipples Product

PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
------	--------------------	------------------	-----------	--------	---------	-----------

12" Diameter

12X10	895-100C	1895-100C	895-100CP	1	0	121
12X11	895-110C	1895-110C	895-110CP	1	0	121
12X12	895-120C	1895-120C	895-120CP	1	0	121
12X13	895-130C	1895-130C	895-130CP	1	0	121
12X14	895-140C	1895-140C	895-140CP	1	0	121
12X15	895-150C	1895-150C	895-150CP	1	0	121
12X16	895-160C	1895-160C	895-160CP	1	0	121
12X17	895-170C	1895-170C	895-170CP	1	0	121
12X18	895-180C	1895-180C	895-180CP	1	0	121
12X19	895-190C	1895-190C	895-190CP	1	0	121
12X20	895-200C	1895-200C	895-200CP	1	0	121
12X22	895-220C	1895-220C	895-220CP	1	0	121
12X24	895-240C	1895-240C	895-240CP	1	0	121
12X30	895-300C	1895-300C	895-300CP	1	0	121
12X36	895-360C	1895-360C	895-360CP	1	0	121
12X42	895-420C	1895-420C	895-420CP	1	0	121
12X48	895-480C	1895-480C	895-480CP	1	0	121

Machined CPVC Nipple Options -Threaded Both Ends (TBE)

The following nipples are normally injection molded, but are optionally available as machined nipples listed below. All other nipples are normally machined.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

CPVC Schedule 80 Machined Nipples

1/4" Diameter

880-005CM	1/4XCLOSE	25	1200	121
-----------	-----------	----	------	-----

CPVC Schedule 80 Machined Nipples

1/2" Diameter

882-020CM	1/2X2	25	300	121
882-030CM	1/2X3	25	300	121
882-040CM	1/2X4	25	300	121

CPVC Schedule 80 Machined Nipples

3/4" Diameter

883-030CM	3/4X3	25	300	121
883-060CM	3/4X6	25	200	121

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

CPVC Schedule 80 Machined Nipples

1" Diameter

884-005CM	1XCLOSE	25	300	121
884-020CM	1X2	25	300	121

PE Nipples

Polyethylene Schedule 40 Nipple

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

1/2" Diameter

P42-005	1/2XCLOSE	25	450	120
P42-015	1/2X1-1/2	25	300	120
P42-020	1/2X2	25	300	120
P42-025	1/2X2-1/2	25	300	120
P42-030	1/2X3	25	300	120
P42-035	1/2X3-1/2	25	300	120
P42-040	1/2X4	25	300	120
P42-045	1/2X4-1/2	25	300	120
P42-050	1/2X5	25	300	120
P42-055	1/2X5-1/2	25	300	120
P42-060	1/2X6	25	300	120
P42-070	1/2X7	25	200	120
P42-080	1/2X8	25	100	120
P42-090	1/2X9	25	0	120
P42-100	1/2X10	25	0	120
P42-110	1/2X11	25	0	120
P42-120	1/2X12	25	0	120
P42-140	1/2X14	100	0	120
P42-150	1/2X15	100	0	120
P42-160	1/2X16	100	0	120
P42-180	1/2X18	100	0	120
P42-240	1/2X24	100	0	120

Polyethylene Schedule 40 Nipple

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
-------------	------	--------	----------	-----------

3/4" Diameter

P43-005	3/4XCLOSE	25	150	120
P43-020	3/4X2	25	300	120
P43-025	3/4X2-1/2	25	300	120
P43-030	3/4X3	25	300	120
P43-035	3/4X3-1/2	25	300	120
P43-040	3/4X4	25	300	120
P43-045	3/4X4-1/2	25	200	120
P43-050	3/4X5	25	200	120
P43-055	3/4X5-1/2	25	200	120
P43-060	3/4X6	25	200	120
P43-070	3/4X7	25	200	120
P43-080	3/4X8	25	0	120
P43-090	3/4X9	25	0	120
P43-100	3/4X10	25	0	120
P43-110	3/4X11	25	0	120
P43-120	3/4X12	25	0	120

Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas
See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing




Nipples Product

PVC, CPVC & PE Nipples & Four-In-One • Cut-Off Nipples & Grooved Nipples


PE Nipples

Polyethylene Cut-Off Nipples

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
491-060	1/2 MPXx6 CutXOff	50	400	120
492-060	1/2x3/XMPTx6Cut-Off	50	350	120
493-060	3/4 MPXx6 CutXOff	50	300	120



M434-005-3



M434-007-4

Polyethylene Cut-Off Riser Extension


Part Number	Size	Std Pk	Mstr Ctn	Prod Code
FIPT x MIPT Cut-Off (1/2" = 3 - Section Cut-Off; 3/4" = 4 - Section Cut-Off)				
M434-005-3	1/2X3	50	600	120
M434-007-4	3/4X4	50	0	120

Four-In-One • Cut-Off Nipples

- High quality polyethylene construction
- Reduces inventory
- Reduces contractor down time
- Choice of sizes from just one nipple
- Eliminates waste


Four-In-One Cut-Off Nipple

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
M481-005	1/2X6	50	350	123
M481-007	3/4X6	25	200	123



Four-In-One Cut-Off Nipple - Reducing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code
M481-101	3/4X1/2X6	50	300	123



Grooved Nipples

PVC Schedule 80 Grooved Nipples

Size	Groove X Groove	Plain X Groove	Thread X Groove	Std Pk	Mstr Pk	Prod Code
1-1/2" Diameter						
1-1/2X3	886-030GG	886-030PG	886-030TG	25	0	120
1-1/2X4	886-040GG	886-040PG	886-040TG	25	0	120
1-1/2X6	886-060GG	886-060PG	886-060TG	25	0	120

2" Diameter

2X3	887-030GG	887-030PG	887-030TG	25	0	120
2X4	887-040GG	887-040PG	887-040TG	25	0	120
2X6	887-060GG	887-060PG	887-060TG	25	0	120

3" Diameter

3X3	889-030GG	889-030PG	889-030TG	20	0	120
3X4	889-040GG	889-040PG	889-040TG	30	0	120
3X6	889-060GG	889-060PG	889-060TG	20	0	120

4" Diameter

4X3	890-030GG	890-030PG	890-030TG	25	0	120
4X4	890-040GG	890-040PG	890-040TG	18	0	120
4X6	890-060GG	890-060PG	890-060TG	12	0	120

PVC Schedule 80 Grooved Nipple

Size	Groove X Groove	Plain X Groove	Thread X Groove	Std Pk	Mstr Pk	Prod Code
6" Diameter						
6X3	892-030GG	892-030PG	892-030TG	1	4	120
6X4	892-040GG	892-040PG	892-040TG	4	0	120
6X6	892-060GG	892-060PG	892-060TG	2	0	120